

ASTRA GTC PRICE GUIDE

2012 Model Year – Recommended prices and specification for the Republic of Ireland



Wir leben Autos.



Astra GTC prices

3-DOOR HATCHBACK

Model	Tax* band	RRP** (€)
SPORT		
1.4i 16v VVT Turbo (120PS) S/S	B	23495
1.4i 16v VVT Turbo (140PS) S/S	B	23995
1.4i 16v Turbo (140PS) auto	D	26995
1.6i 16v Turbo (180PS)	D	26495
1.7CDTi 16v (110PS) S/S	A	24495
1.7CDTi 16v (130PS) S/S	A	24995
2.0CDTi 16v (165PS) S/S	B	25995
2.0CDTi 16v (165PS) auto	C	28995
SRI		
1.4i 16v VVT Turbo (120PS) S/S	B	25495
1.4i 16v VVT Turbo (140PS) S/S	B	25995
1.4i 16v Turbo (140PS) auto	D	28995
1.6i 16v Turbo (180PS)	D	28495
1.7CDTi 16v (110PS) S/S	A	26495
1.7CDTi 16v (130PS) S/S	A	26995
2.0CDTi 16v (165PS) S/S	B	27995
2.0CDTi 16v (165PS) auto	C	30995

* = Please note, taxes are levied at different rates dependent on CO₂ emissions. Tax bands are based on cars with 18-inch and 19-inch wheels; optional larger wheels may move some models into higher tax bands. Some tax bands are based on preliminary data and may change. A (0-120g/km) = 14%, B (121-140g/km) = 16%, C (141-155g/km) = 20%, D (156-170g/km) = 24%, E (171-190g/km) = 28%, F (191-225g/km) = 32%, G (226g/km and above) = 36%.

** = Recommended Retail Prices (RRP) quoted are ex-works. Includes Vehicle Registration Tax and VAT, excludes number plates and delivery charges. Prices effective 1 January 2012. Prices subject to alteration or change without notice or obligation.

S/S = Start/Stop.

Astra GTC options

	Sport	Sri	Prices including taxes* (€)			
			A	B	C	D
OPTION PACKS						
Sight and Light Pack • Automatic lighting control with tunnel detection • Rain-sensitive windscreen wipers • Electro-chromatic anti-dazzle rear-view mirror • Digital high beam assist	○	●	326	332	347	363
Leather Pack • Leather seat facings • Electrically heated front seats • Driver's ergonomic sports front seat • Front passenger's extendable seat cushion		○	1169	1193	1246	1303
Seat Comfort Pack One • Driver's seat with six-way manual adjustment and four-way electrical lumbar adjustment	○	○	199	203	212	221
Seat Comfort Pack Two¹ • Driver's and front passenger's seats with six-way manual adjustment and four-way electrical lumbar adjustment	○	○	255	260	271	284
Premium Forward Lighting Pack • Intelligent Adaptive Forward Lighting (AFL) incorporating dark-style bi-xenon headlights with dynamic beam levelling • LED daytime running lights • High-pressure headlight washers	○ ²	○	1120	1143	1193	1248
OPC Styling Pack • Body-colour front lower spoiler, side sills, rear lower skirt and rear roof spoiler	○	○	1041	1062	1109	1160
Towing Pack • Detachable tow bar • Trailer stability programme	○	○	456	465	486	508
FlexRide adaptive chassis control system with Continuous Damper Control (CDC)	○	○	915	934	975	1020
INTERIOR OPTION						
Dual-zone Electronic Climate Control (ECC) incorporating air conditioning with humidity sensor	○	○	204	209	218	228
EXTERIOR AND CONVENIENCE OPTIONS						
Front and rear parking distance sensors	○	○	502	512	535	559
Tyre pressure monitoring system	○	○	154	157	164	171
Electrically foldable door mirrors	○	○	229	234	244	255
Dark-tinted rear windows	○	●	204	209	218	228
LED rear lights	○	○	151	155	161	169
Body-colour rear roof spoiler	○	○	103	106	110	115
Remote control ultrasonic security alarm system	○ ³	●	320	327	341	356
19-inch five-spoke alloy wheels	○	○	504	514	537	561
20-inch five-spoke alloy wheels		○	1011	1032	1077	1127
Space-saver spare wheel (in lieu of emergency tyre inflation kit)	○	○	144	147	153	160
Brilliant paint	○	○	155	155	155	155
Two-coat metallic or pearlescent paint	○	○	535	535	535	535

Prices effective as of 1 January 2012. Prices are subject to alteration without notice or obligation. ○ = Optional at extra cost. ● = Standard equipment.

Astra GTC options

	Sport	Sri	Prices including taxes* (€)			
			A	B	C	D
AUDIO AND COMMUNICATION OPTIONS						
Navi 600 • Satellite navigation system • CD/MP3 CD player • SD card slot • Aux-in socket • USB connection with iPod control • AM/FM stereo radio with 36 station presets • RDS with Traffic Programme • Remote colour monitor • 20 watts per channel output • 7 speakers • Shark fin aerial	○	○	1214	1240	1294	1354
Mobile phone system with Bluetooth® (does not include phone)	○	○	357	365	381	398
Embedded mobile phone system with Bluetooth® (does not include phone)	○	○	598	610	637	666
Infinity® Premium Sound System (adds Flex Floor luggage compartment)	○	○	747	762	796	832

Prices effective as of 1 January 2012. Prices are subject to alteration without notice or obligation. ○ = Optional at extra cost. ● = Standard equipment.

1 = Can be ordered separately. Includes content of Seat Comfort Pack One. 2 = Only available in conjunction with Sight and Light Pack. 3 = Optional on 1.4i 16v VVT Turbo (120PS), standard on all other Sport models.

* = Please note, taxes are levied at different rates dependent on CO₂ emissions. A (0-120g/km) = 14%, B (121-140g/km) = 16%, C (141-155g/km) = 20%, D (156-170g/km) = 24%, E (171-190g/km) = 28%, F (191-225g/km) = 32%, G (226g/km and above) = 36%.

Astra GTC technical data

Petrol engines

	1.4i 16v VVT Turbo (120PS) ECOTEC-4 with Start/Stop	1.4i 16v VVT Turbo (140PS) ECOTEC-4 with Start/Stop	1.6i 16v VVT Turbo ECOTEC-4
Capacity	1364cc	1364cc	1598cc
Maximum power*	120PS (88kW) @ 4200-6000rpm	140PS (103kW) @ 4900-6000rpm	180PS (132kW) @ 5500rpm
Maximum torque	200Nm (147 lb.ft.) @ 1850-4200rpm	200Nm (147 lb.ft.) @ 1850-4900rpm	230Nm (169 lb.ft.) @ 2200-5400rpm
Configuration	4 cylinders, 4 valves per cylinder, double overhead camshafts		
Fuel/induction system	Water-cooled turbocharger with intercooler. Variable Valve Timing (VVT). Multi-point sequential fuel injection		
Emission compliance	Euro 5		
Service interval	30,000km or 1 year (whichever occurs sooner)		

Diesel engines

	1.7CDTi 16v (110PS) ECOTEC-4 Turbo diesel with Start/Stop	1.7CDTi 16v (130PS) ECOTEC-4 Turbo diesel with Start/Stop	2.0CDTi 16v ECOTEC-4 Turbo diesel with Start/Stop
Capacity	1686cc	1686cc	1956cc
Maximum power*	110PS (81kW) @ 4000rpm	130PS (96kW) @ 4000rpm	165PS (121kW) @ 4000rpm
Maximum torque	280Nm (206 lb.ft.) @ 1750-2500rpm	300Nm (221 lb.ft.) @ 2000-2500rpm	350Nm (258 lb.ft.) @ 1750-2500rpm
Configuration	4 cylinders, 4 valves per cylinder, double overhead camshafts		
Fuel/induction system	Variable geometry turbocharger with intercooler. Common rail fuel injection. Diesel Particulate Filter		
Emission compliance	Euro 5		
Service interval	30,000km or 1 year (whichever occurs sooner)		

* = To calculate BHP divide the PS figure by 1.0136.

Astra GTC technical data

Performance, fuel economy and emissions

	Wheel size (inches)	Performance (manufacturer's figures)		Fuel economy litres/100km (mpg)			CO ₂ emissions g/km
		Maximum speed km/h (mph)	Acceleration (sec) 0-100km/h	Urban driving	Extra-urban driving	Combined figure	
Manual							
1.4i 16v VVT Turbo (120PS) S/S	18/19	192 (119)	10.9	7.6 (37.2)	4.9 (57.6)	5.9 (47.9)	139
1.4i 16v VVT Turbo (120PS) S/S	20	192 (119)	10.9	7.8 (36.2)	5.0 (56.5)	6.1 (46.3)	142
1.4i 16v VVT Turbo (140PS) S/S	18/19	201 (125)	9.9	7.6 (37.2)	4.9 (57.6)	5.9 (47.9)	139
1.4i 16v VVT Turbo (140PS) S/S	20	201 (125)	9.9	7.8 (36.2)	5.0 (56.5)	6.1 (46.3)	142
1.6i 16v Turbo (180PS)	18/19	220 (137)	8.3	9.3 (30.4)	5.9 (47.9)	7.2 (39.2)	168
1.6i 16v Turbo (180PS)	20	220 (137)	8.3	9.3 (30.4)	6.0 (47.1)	7.2 (39.2)	169
1.7CDTi 16v (110PS) S/S*	18/19	182 (113)	11.9	5.3 (53.3)	4.0 (70.6)	4.5 (62.8)	119
1.7CDTi 16v (110PS) S/S*	20	182 (113)	11.9	5.4 (52.3)	4.1 (68.9)	4.6 (61.4)	121
1.7CDTi 16v (130PS) S/S*	18/19	196 (121)	10.8	5.3 (53.3)	4.0 (70.6)	4.5 (62.8)	119
1.7CDTi 16v (130PS) S/S*	20	196 (121)	10.8	5.4 (52.3)	4.1 (68.9)	4.6 (61.4)	121
2.0CDTi 16v (165PS) S/S	18/19	210 (131)	8.9	5.7 (49.6)	4.3 (65.7)	4.8 (58.9)	127
2.0CDTi 16v (165PS) S/S	20	210 (131)	8.9	5.8 (48.7)	4.4 (64.2)	4.9 (57.6)	129
Automatic							
1.4i 16v VVT Turbo (140PS)*	18/19	200 (124)	10.3	9.1 (31.0)	5.5 (51.4)	6.8 (41.5)	159
1.4i 16v VVT Turbo (140PS)*	20	200 (124)	10.3	9.2 (30.7)	5.5 (51.4)	6.9 (40.9)	161
2.0CDTi 16v (165PS)*	18/19	207 (128)	9.2	7.8 (36.2)	4.5 (62.8)	5.7 (49.6)	151
2.0CDTi 16v (165PS)*	20	207 (128)	9.2	7.8 (36.2)	4.6 (61.4)	5.8 (48.7)	152

Fuel consumption and CO₂ emission data complies with the relevant EU testing regulations used by vehicle manufacturers to enable comparisons between different models. **Important:** Please note fuel consumption can be affected by many factors including driving style, road and traffic conditions, vehicle mileage and standard of maintenance. In addition these results relate to the particular vehicle tested, inevitably there will be differences between individual vehicles of the same model.

S/S = Start/Stop. * = Provisional data.

Smarter driving tips

- Drive at an appropriate speed:**
 Staying within the speed limit increases driver safety, reduces CO₂ emissions and saves fuel. At 115km/h you could be using up to 9% more fuel than at 100km/h and up to 15% more fuel than at 80km/h
- Drive smoothly at all times:** Anticipate the ebb and flow of the traffic to avoid harsh acceleration and braking
- Reduce your revs:** Change gear earlier to help reduce fuel consumption – try 2500rpm with petrol engines and 2000rpm with diesel
- Idling is wasting fuel:** If you're likely to be at a standstill for more than three minutes, switch off the engine to save fuel, or let the Start/Stop system do it for you, if your model has this fitted!
- Regularly check your tyre pressures:** Under inflated tyres increase CO₂ emissions whilst incorrectly inflated tyres can be unsafe. Always check your handbook for the correct tyre pressure. This will also help to increase the life of your tyres
- Remove unnecessary items from the car:** Extra weight increases the engine's workload which in turn burns more fuel and increases CO₂ emissions

Astra GTC technical data

Weights and towing data kg

	Gross vehicle weight	Max. towing weights Trailer with brakes (without brakes)
1.4i 16v VVT Turbo (120PS) Start/Stop	1960	1350 (700)
1.4i 16v VVT Turbo (140PS) Start/Stop	1960	1350 (700)
1.4l 16v VVT Turbo (140PS) auto	1980	1350 (700)
1.6i 16v VVT Turbo (180PS)	1965	1450 (720)
1.7CDTi 16v (110PS) Start/Stop	2005	1300 (730)
1.7CDTi 16v (130PS) Start/Stop	2005	1400 (730)
2.0CDTi 16v (165PS) Start/Stop	2040	1500 (750)
2.0CDTi 16v (165PS) auto	2060	1450 (750)

Gross vehicle weight is the total permissible weight of the vehicle including passengers and their luggage. The **maximum roof rack loading** should not exceed 100kg. The **maximum towing weights** are based on the ability of the car, with two occupants of 75kg each, to restart on a 12% gradient, which is approximately 1 in 8.3 at sea level. At altitudes above 1500 metres, the engine output may drop with a corresponding reduction in towing capability. Any extra weight, such as luggage or additional passengers, should be deducted from the maximum towing weight. With a trailer fully loaded, **maximum noseweight** should not exceed 75kg. Always fit Opel towing attachments and accessories available from your Opel dealer. They are designed specifically for Opel models and carry a 12-month guarantee.

Astra GTC technical data

Optional transmission

Six-speed automatic transmission with Active Select function

An all-new six-speed automatic transmission is optional on 1.4i 16v Turbo (140PS) and 2.0CDTi 16v (165PS) models. On the road, a wide selection of shift patterns is adapted to the style and habits of the driver, anticipating when maximum acceleration or maximum efficiency is required. The electronic control will also adapt to the prevailing road conditions, reducing gear shifting when climbing or descending and using engine braking assistance during down changes.

The ActiveSelect® manual mode allows the gear lever to be used like a sequential manual gearbox – you simply push the lever forward or back to change up or down the gears. The driver also benefits from a ‘neutral’ gear disengagement at idle, which reduces vibration and contributes to improved fuel consumption.

Suspension

The HiPerStrut (High Performance Strut) front suspension improves grip and allows more power to be applied during cornering. The reduced kingpin angle means less camber loss, which allows the front tyres to retain more of their contact patch with the road during cornering, therefore delaying the onset of understeer. The shorter spindle length significantly reduces torque steer reactions and improves resistance to steering kickback through uneven bends.

Front: Independent. HiPerStrut sports suspension with gas-pressure dampers and coil springs. Anti-roll bar.

Rear: Lightweight compound crank rear axle with one-piece, hollow cast trailing arms. Built-in anti-roll bar. Progressive-rate double conical mini-block springs with Watt’s link and gas-pressure dampers.

Fuel tank capacity

56 litres (12.3 gallons)

Steering

- Power-assisted steering
- Turning circle (kerb-to-kerb):
 - all models 10.9m (35.7ft.)

Brakes

- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution
- Hydraulic Brake Fade Assist
- Cornering Brake Control
- Emergency Brake Assist
- Electric parking brake with Hill Start Assist (HSA) (standard on SRi models)

Hill Start Assist (HSA)

Hill Start Assist (standard on SRi models) maintains the brake pressure for a short period after the brake pedal has been released when pulling away on a gradient of 5% or more; this helps prevent the vehicle from rolling back. The pressure is released as soon as the driver presses the accelerator and the car begins to move forward. This ensures improved hill starting for increased comfort and safety.

Towing Pack with trailer stability programme

This sensor controlled system detects when a trailer begins to yaw or becomes unstable and activates the appropriate brakes to compensate.


The detachable tow bar can be easily stored when not in use. This provides added convenience compared to conventional tow bars. Optional at extra cost.

Body

Aerodynamic drag co-efficient:
– Cd 0.33

Astra GTC technical data

Exterior dimensions millimetres (inches)



Luggage capacities* litres (cu.ft.)

Rear seats up	380 (13.4)
Rear seats down	1165 (41.1)

Please note fitment of Infinity® Sound System reduces load volume by 38 litres.
* = Measured using the ECIE method.

www.opel.ie

Every effort has been made to ensure that the contents of this publication were accurate and up-to-date at the time of publication – January 2012. Opel vehicles are equipped with components manufactured by various General Motors operating units and outside suppliers. The Company reserves the right to change specifications and withdraw products from sale without notice. Any such alterations will be notified to Opel dealers at the earliest opportunity; please consult your local dealer for the latest information. The specifications detailed within this brochure are not necessarily applicable to alternative models such as Special Editions. Details of any such models will be contained in specific literature or found on the Opel website. Please note that Opel dealers are not the agents of General Motors Ireland Limited and are not authorised to bind the Company by any specific or implied undertaking or representation. It is advisable to ensure that your motor insurance policy provides adequate cover for additional fitted options and accessories. All rights reserved. No part of this publication may be reproduced in any form or by any means, without the prior written permission of General Motors Ireland Limited.