

CORSA PRICE GUIDE

2012 Model Year – Recommended prices and specification for the Republic of Ireland



Wir leben Autos.



Corsa prices

3-DOOR HATCHBACK

Model	Tax* band	RRP** (€)
CORSA S		
1.0i 12v ecoFLEX	A	14700
1.2i 16v VVT ecoFLEX S/S	A	15300
1.2i 16v VVT Easytronic	B	16150
1.3CDTi 16v (75PS) ecoFLEX	A	16755
CORSA SC		
1.2i 16v VVT ecoFLEX S/S	A	16200
1.2i 16v VVT Easytronic	B	17050
1.4i 16v VVT	B	16955
1.4i 16v VVT automatic	C	20915
1.3CDTi 16v (75PS) ecoFLEX	A	17745
CORSA SXi		
1.2i 16v VVT ecoFLEX S/S	A	17200
1.4i 16v VVT	B	17455
1.4i 16v VVT automatic	C	21415
1.3CDTi 16v (95PS) ecoFLEX	A	18545
CORSA SE		
1.2i 16v VVT ecoFLEX S/S	A	17840
1.4i 16v VVT	B	18595
1.4i 16v VVT automatic	C	22555
1.3CDTi 16v (95PS) ecoFLEX	A	19695
CORSA LIMITED EDITION		
1.2i 16v VVT	B	16555
1.3CDTi 16v (75PS) ecoFLEX	A	17955

OPC 3-DOOR HATCHBACK

Model	Tax* band	RRP** (€)
CORSA OPC		
1.6i 16v Turbo	E	30555

Specification highlights:

- Maximum power: 192PS (141kW)
- 0-100km/h: 7.2secs
- Unique OPC body styling
- Recaro shell-backed sports front seats
- Six-speed manual gearbox

For further information please consult your Opel dealer.

5-DOOR HATCHBACK

Model	Tax* band	RRP** (€)
CORSA S		
1.0i 12v ecoFLEX	A	15300
1.2i 16v VVT ecoFLEX S/S	A	15900
1.2i 16v VVT Easytronic	B	16750
1.3CDTi 16v (75PS) ecoFLEX	A	17355
CORSA SC		
1.2i 16v VVT ecoFLEX S/S	A	16800
1.2i 16v VVT Easytronic	B	17650
1.4i 16v VVT	B	17555
1.4i 16v VVT automatic	C	21515
1.3CDTi 16v (75PS) ecoFLEX	A	18345
CORSA SXi		
1.2i 16v VVT ecoFLEX S/S	A	17800
1.4i 16v VVT	B	18055
1.4i 16v VVT automatic	C	22015
1.3CDTi 16v (95PS) ecoFLEX	A	19145
CORSA SE		
1.2i 16v VVT ecoFLEX S/S	A	18440
1.4i 16v VVT	B	19195
1.4i 16v VVT automatic	C	23155
1.3CDTi 16v (95PS) ecoFLEX	A	20295
CORSA LIMITED EDITION		
1.2i 16v VVT	B	17155
1.3CDTi 16v (75PS) ecoFLEX	A	18555

* = Please note, taxes are levied at different rates dependent on CO₂ emissions. A (0-120g/km) = 14%, B (121-140g/km) = 16%, C (141-155g/km) = 20%, D (156-170g/km) = 24%, E (171-190g/km) = 28%, F (191-225g/km) = 32%, G (226g/km and above) = 36%.

** = Recommended Retail Prices (RRP) quoted are ex-works. Includes Vehicle Registration Tax and VAT, excludes number plates and delivery charges. Prices effective 1 January 2012. Prices subject to alteration or change without notice or obligation.

S/S = Start/Stop.

Corsa options

	S	SC	SXi	SE	Limited Edition	OPC	Prices including taxes* (€)			
							A	B	C	E
OPTION PACKS										
Leather Pack • Leather seat facings • Electrically heated Recaro shell-backed sports front seats						○	–	–	–	2061
Linea Stripes Pack ¹ • Twin stripes over bonnet, roof and tailgate • 17-inch white alloy wheels with 215/45 R 17 ultra-low profile tyres • White door mirror housings • Front fog lights		○					792	809	844	–
Linea Stripes Pack ¹ • Twin stripes over bonnet, roof and tailgate • 17-inch white alloy wheels with 215/45 R 17 ultra-low profile tyres • White door mirror housings			○				593	606	632	–
OPC Line One Styling Pack ² • Body-colour front lower spoiler/side sills/rear skirt/roof spoiler • Chrome-effect exhaust tailpipe extension on SE and Limited Edition (standard on SXi)			○	○	○		995	1016	1060	–
Sight and Light Pack • Rain-sensitive windscreen wipers • Automatic lighting control • Electro-chromatic anti-dazzle rear-view mirror			○	●		○	143	146	153	168
Protection Pack • Front seat side-impact airbags • Full-size curtain airbags • Pyrotechnic front lap belt pretensioner system	○	●	●	●	○	●	700	714	–	–
Winter Pack • Electrically heated front seats • Electrically heated leather-covered steering wheel		○	○ ³	●	○		359	366	382	–
Technical Pack • Mobile phone system with Bluetooth® • Cruise control • Multi-function trip computer • Graphic information display		○					466	476	497	–
Plus Pack • Driver's seat height adjuster • Steering column adjustable for reach and tilt	○	●	●	●	●	●	114	116	–	–
Plus Pack • 15-inch alloy wheels • Front fog lights		○					328	335	349	–
SAFETY OPTIONS										
Electronic Stability Programme-plus (ESP-plus) with traction control	○	○	○	○	○	●	467	477	498	–
ISOFIX child seat restraint system for front passenger's seat (does not include child seat)	○	○	○	○			96	98	102	–
Height-adjustable centre rear seat head restraint (five-door models only)	○	○	○	○	○		39	40	42	–
INTERIOR OPTIONS										
DualFloor luggage compartment			○	○		●	73	74	78	–
Air conditioning	○	○	○	●	○	●	932	951	993	–
Electronic Climate Control (ECC) (not available with Touch and Connect)				○		○	571	583	609	668
Electronic Climate Control (ECC) including air conditioning (not available with Touch and Connect)			○		○		1503	1534	1602	–

Prices effective as of 1 January 2012. Prices are subject to alteration without notice or obligation. ○ = Optional at extra cost. ● = Standard equipment.

1 = Not available in conjunction with sliding glass sunroof. 2 = Not available in conjunction with Flex-Fix® integrated carrier system. 3 = Deletes sports steering wheel.

* = Please note, taxes are levied at different rates dependent on CO₂ emissions. A (0-120g/km) = 14%, B (121-140g/km) = 16%, C (141-155g/km) = 20%, D (156-170g/km) = 24%, E (171-190g/km) = 28%, F (191-225g/km) = 32%, G (226g/km and above) = 36%.

Corsa options

	S	SC	SXi	SE	Limited Edition	OPC	Prices including taxes* (€)			
							A	B	C	E
EXTERIOR AND CONVENIENCE OPTIONS										
18-inch 5-Y spoke forged bi-colour alloy wheels with anthracite inner, 225/35 R 18 ultra-low profile tyres						○	–	–	–	869
17-inch alloy wheels with 215/45 R 17 ultra-low profile tyres			○ ⁴	○ ⁴	● ⁵	●	746	762	796	–
Adaptive Forward Lighting (AFL) – halogen			○	○		○	374	381	398	436
Electrically operated sliding glass sunroof with interior blind ⁶		○	○	○			932	951	993	–
Dark-tinted windows (excludes windscreen and front door windows)			●	○	●	○	451	461	481	527
Flex-Fix [®] integrated carrier system (includes two-bicycle carrier attachment) ⁷		○	○	○			621	634	661	–
Rear parking distance sensors		○	○	○	○	○	374	381	398	436
Brilliant paint	○	○	○	○	N/C		155	155	155	–
Two-coat metallic or pearlescent paint	○	○	○	○	N/C	○	535	535	535	535
AUDIO AND COMMUNICATION OPTIONS										
Touch and Connect[®] • Touch-screen satellite navigation • Mobile phone system with Bluetooth [®]		○	○	○	○	○	692	706	737	807
• USB connection with iPod control • Aux-in socket • CD/MP3 CD player • Stereo radio										
Mobile phone system with Bluetooth [®] (does not include phone or cradle) and graphic display ⁹		○	○	○	○	○	499	510	532	583

Prices effective as of 1 January 2012. Prices are subject to alteration without notice or obligation. ○ = Optional at extra cost. ● = Standard equipment. N/C = No-cost option.

⁴ = Also includes sports suspension with lower ride height and progressive-rate variable ratio power-assisted steering. ⁵ = Limited Edition models are fitted with black alloy wheels. ⁶ = Also includes front map reading lights and front passenger's seat height adjuster. Non-metallic roof panel is coloured black. ⁷ = Not available in conjunction with OPC Line One Styling Pack. ⁸ = Not available in conjunction with Electronic Climate Control. ⁹ = Please consult your dealer for details of phone cradle.

* = Please note, taxes are levied at different rates dependent on CO₂ emissions. A (0-120g/km) = 14%, B (121-140g/km) = 16%, C (141-155g/km) = 20%, D (156-170g/km) = 24%, E (171-190g/km) = 28%, F (191-225g/km) = 32%, G (226g/km and above) = 36%.

Corsa technical data

Petrol engines

	1.0i 12v Twinport ecoFLEX	1.2i 16v VVT with and without Start/Stop	1.4i 16v VVT	1.6i 16v Turbo
Capacity	998cc	1229cc	1398cc	1598cc
Maximum power*	65PS (48kW) @ 5300rpm	85PS (63kW) @ 5600rpm	100PS (74kW) @ 6000rpm	192PS (141kW) @ 5850rpm
Maximum torque	90Nm (66 lb.ft.) @ 4000rpm	115Nm (85 lb.ft.) @ 4000rpm	130Nm (96 lb.ft.) @ 4000rpm	230Nm** (170 lb.ft.) @ 1980-5850rpm
Configuration	3 cylinders, 4 valves per cylinder. Double overhead camshafts	4 cylinders, 4 valves per cylinder. Double overhead camshafts		
Fuel/induction system	Naturally aspirated with vacuum-controlled Twinport inlet ports. Multi-point sequential electronic fuel injection	Naturally aspirated with Variable Valve Timing. Multi-point sequential fuel injection		Turbocharger with intercooler. Multi-point sequential electronic fuel injection
Emission compliance	Euro 5			
Service interval	30,000km or 1 year (whichever occurs sooner)			

Diesel engines

	1.3CDTi 16v (75PS) ecoFLEX	1.3CDTi 16v (95PS) ecoFLEX
Capacity	1248cc	1248cc
Maximum power*	75PS (55kW) @ 4000rpm	95PS (70kW) @ 4000rpm
Maximum torque	190Nm (140 lb.ft.) @ 1750-2250rpm	210Nm (155 lb.ft.) @ 1750-2500rpm
Configuration	4 cylinders, 4 valves per cylinder, double overhead camshafts	
Fuel/induction system	Turbocharger with intercooler. Common rail fuel injection	Variable geometry turbocharger with intercooler. Common rail fuel injection
Emission compliance	Euro 5 with Diesel Particulate Filter	
Service interval	30,000km or 1 year (whichever occurs sooner)	

* = To calculate BHP divide the PS figure by 1.0136.

** = Increased to 260+Nm for five seconds with turbo overboost function.

Corsa technical data

Performance, fuel economy and emissions

	Performance (manufacturer's figures)		Fuel economy litres/100km (mpg)			CO ₂ emissions g/km
	Maximum speed km/h (mph)	Acceleration (sec) 0-100km/h	Urban driving	Extra- urban driving	Combined figure	
Manual						
1.0i 12v ecoFLEX	155 (96)	18.2	6.4 (44.1)	4.3 (65.7)	5.1 (55.4)	120
1.2i 16v VVT	172 (107)	13.6	7.2 (39.2)	4.5 (62.8)	5.5 (51.4)	129
1.2i 16v VVT ecoFLEX Start/Stop ¹	172 (107)	13.6	6.4 (44.1)	4.3 (65.7)	5.1 (55.4)	119
1.2i 16v VVT ecoFLEX Start/Stop ²	172 (107)	13.6	6.5 (43.5)	4.3 (65.7)	5.1 (55.4)	121
1.4i 16v VVT	180 (112)	11.9	7.1 (39.8)	4.6 (61.4)	5.5 (51.4)	129
1.6i 16v Turbo	225 (140)	7.2	9.8 (28.8)	5.9 (47.9)	7.3 (38.7)	172
1.3CDTi 16v (75PS) ecoFLEX 3-door	163 (101)	14.9	5.3 (53.3)	3.5 (80.7)	4.2 (67.3)	110
1.3CDTi 16v (75PS) ecoFLEX 5-door	163 (101)	14.9	5.3 (53.3)	3.6 (78.5)	4.2 (67.3)	112
1.3CDTi 16v (95PS) ecoFLEX	173 (107)	12.3	5.4 (52.3)	3.8 (74.3)	4.4 (64.2)	115
Easytronic						
1.2i 16v VVT	172 (107)	14.9	6.8 (41.5)	4.4 (64.2)	5.3 (53.3)	125
Automatic						
1.4i 16v VVT 3-door	172 (107)	13.9	8.0 (35.3)	5.0 (56.5)	6.1 (46.3)	143
1.4i 16v VVT 5-door	172 (107)	13.9	8.2 (34.4)	5.1 (55.4)	6.3 (44.8)	147

1 = Figures apply to vehicles fitted with wheels up to 16 inches in diameter. 2 = Figures apply to vehicles fitted with 17-inch wheels.

Fuel consumption and CO₂ emission data complies with the relevant EU testing regulations used by vehicle manufacturers to enable comparisons between different models. **Important:** Please note fuel consumption can be affected by many factors including driving style, road and traffic conditions, vehicle mileage and standard of maintenance. In addition these results relate to the particular vehicle tested, inevitably there will be differences between individual vehicles of the same model.

Smarter driving tips

- Drive at an appropriate speed:**
 Staying within the speed limit increases driver safety, reduces CO₂ emissions and saves fuel. At 115km/h you could be using up to 9% more fuel than at 100km/h and up to 15% more fuel than at 80km/h
- Drive smoothly at all times:** Anticipate the ebb and flow of the traffic to avoid harsh acceleration and braking
- Reduce your revs:** Change gear earlier to help reduce fuel consumption – try 2500rpm with petrol engines and 2000rpm with diesel
- Idling is wasting fuel:** If you're likely to be at a standstill for more than three minutes, switch off the engine to save fuel, or let the Start/Stop system do it for you, if your model has this fitted!
- Regularly check your tyre pressures:**
 Under inflated tyres increase CO₂ emissions whilst incorrectly inflated tyres can be unsafe. Always check your handbook for the correct tyre pressure. This will also help to increase the life of your tyres
- Remove unnecessary items from the car:** Extra weight increases the engine's workload which in turn burns more fuel and increases CO₂ emissions

Corsa technical data

Weights and towing data kg

	Gross vehicle weight		Maximum towing weights			
	3-door	5-door	Trailer with brakes (without brakes)			
			3-door	5-door	3-door	5-door
1.0i 12v S	1545	1565	500	(450)	500	(500)
1.2i 16v VVT S manual	1575	1605	850	(450)	850	(500)
1.2i 16v VVT S Easytronic	1575	1605	750	(450)	750	(500)
1.2i 16v VVT SC manual	1575	1605	850	(450)	850	(500)
1.2i 16v VVT SC Easytronic	1575	1605	750	(450)	750	(500)
1.2i 16v VVT Limited Edition	1575	1605	850	(450)	850	(500)
1.2i 16v VVT SE	1595	1625	850	(450)	850	(500)
1.2i 16v VVT SXi	1575	1605	850	(450)	850	(500)
1.4i 16v VVT SC manual	1605	1620	1000	(500)	1000	(500)
1.4i 16v VVT SC auto	1590	1620	1000	(500)	1000	(500)
1.4i 16v VVT SE manual	1625	1640	1000	(500)	1000	(500)
1.4i 16v VVT SE auto	1610	1640	1000	(500)	1000	(500)
1.4i 16v VVT SXi manual	1605	1620	1000	(500)	1000	(500)
1.4i 16v VVT SXi auto	1590	1620	1000	(500)	1000	(500)
1.6i 16v Turbo OPC	1735	–	–	–	–	–
1.3CDTi 16v (75PS) S	1645	1675	1000	(500)	1000	(500)
1.3CDTi 16v (75PS) SC	1645	1675	1000	(500)	1000	(500)
1.3CDTi 16v (75PS) Limited Edition	1645	1675	1000	(500)	1000	(500)
1.3CDTi 16v (95PS) SE	1695	1725	1200	(500)	1200	(500)
1.3CDTi 16v (95PS) SXi	1675	1705	1200	(500)	1200	(500)

Please note: For S, SC, Limited Edition and SXi models fitted with optional air conditioning 20kg must be added to gross vehicle weight. **Gross vehicle weight** is the total permissible weight of the vehicle including passengers and their luggage. The **maximum roof rack loading** should not exceed a total of 75kg. The **maximum towing weights** are based on the ability of the car – with two occupants of 75kg each – to restart on a 12% gradient, which is approximately 1 in 8.3, at sea level. At altitudes above 1500 metres, the engine output may drop with a corresponding reduction in towing capability. Any extra weight, such as luggage or additional passengers, should be deducted from the maximum towing weight. With a trailer fully loaded, **maximum nose weight** should not exceed 55kg (45kg on 1.2i 16v models). Always fit Opel towing attachments and accessories available from your Opel dealer. They are designed specifically for Opel models and carry a 24-month guarantee.

Corsa technical data

Optional transmissions

Five-speed Easytronic transmission: Available on 1.2i 16v S and SC models. Easytronic transmission is a five-speed manual gearbox with a fully automatic mode. In manual mode, you simply push the lever forward or back to shift gears up or down sequentially. The fascia display tells you what gear you're in – 1 to 5, N for Neutral or A for Auto. Switch to fully automatic mode and it has many of the features of a regular automatic including a kickdown function. Easytronic also comes with a winter mode, which selects second gear for standing starts in slippery conditions.

Four-speed automatic transmission:

Available on 1.4i 16v models only. Electronically controlled, with Winter driving mode. Fluid drive with torque converter and lock-up on third and fourth ratios eliminating wasteful slip. Electronic park/brake pedal safety interlock. Neutral control fuel-saving feature. Transmission oil cooler integral with engine coolant radiator.

Suspension

Front: Independent. MacPherson struts with gas-pressure damper cartridge and coil springs. Anti-roll bar.

Rear: Compound crank with coil springs and gas-pressure dampers.

- Sports suspension with lower ride height on Limited Edition models, and on SE/SXi models fitted with optional 17-inch alloy wheels
- OPC model features uprated and lowered OPC sports suspension

Steering

- Rack and pinion
- Electric power-assisted steering standard on all models – variable rate on diesel models – progressive variable rate on Limited Edition/OPC models, and on SE/SXi models fitted with optional 17-inch alloy wheels
- Turning circle (kerb-to-kerb):
All models except SE/SXi with optional 17-inch alloy wheels and Limited Edition/OPC – 10.10m (33.2ft.). SE/SXi with optional 17-inch alloy wheels and Limited Edition/OPC – 11.10m (36.4ft.)

Wheels and tyres

S – 14-inch steel wheels with flush covers and 185/70 R 14 tyres.

SC – 15-inch steel wheels with flush covers and 185/65 R 15 tyres.

SE – 16-inch 10 twin-spoke alloy wheels with 195/55 R 16 tyres.

SXi – 16-inch five-spoke alloy wheels with 195/55 R 16 tyres.

Limited Edition – 17-inch black alloy wheels with 215/45 R 17 ultra-low profile tyres.

OPC – 17-inch Y-design alloy wheels with 215/45 R 17 ultra-low profile tyres.

Body

- Aerodynamic drag co-efficient: Cd 0.33

Anti-corrosion warranty

- 12-year body panel anti-perforation warranty

Brakes

- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution
- Emergency Brake Assist
- Cornering Brake Control
- Straight Line Stability control
- Dual circuit, diagonally split, dual rate servo-assisted system
- Low brake fluid level warning light

1.0i 12v ecoFLEX

Front ventilated discs: 257mm diameter
Rear drums: 203mm diameter

1.2i 16v VVT

Front ventilated discs: 257mm diameter
Rear drums: 228mm diameter

1.4i 16v VVT

Front ventilated discs: 284mm diameter
Rear drums: 228mm diameter

1.6i 16v Turbo

Front ventilated discs: 308mm diameter
Rear discs: 264mm diameter

1.3CDTi 16v (75PS) ecoFLEX

Front ventilated discs: 284mm diameter
Rear drums: 228mm diameter

1.3CDTi 16v (95PS) ecoFLEX


Front ventilated discs: 284mm diameter
Rear drums: 228mm diameter

Fuel tank capacity

- 45 litres (9.9 gallons)

Corsa technical data

Exterior dimensions millimetres (inches)



* = OPC front overhang 881mm (34.7 inches). ** = OPC rear overhang 648mm (25.5 inches). † = OPC overall length 4040mm (159.1 inches).

Loadspace dimensions millimetres (inches)

	3-door	5-door
Maximum length (seats up)	703 (27.7)	703 (27.7)
Maximum length (behind front seats)	1348 (53.1)	1348 (53.1)
Maximum width	969 (38.1)	969 (38.1)
Maximum height	839 (33.0)	872 (34.3)

Luggage capacities litres (cu.ft.)

	3-door	5-door
Rear seat up (under hinged luggage compartment cover)	285 (10.0)	285 (10.0)
Rear seat down (to glassline)	690 (24.4)	700 (24.7)
Rear seat down (to roof)	1050 (37.1)	1100 (38.8)

Flex-Fix® key dimensions

	mm	inches
Maximum circumference around rim and tyre of bicycle	225	8.9
Maximum crank arm width	52	2.0
Maximum crank arm depth	25	1.0
Maximum crank arm length	no limit	

www.opel.ie

Every effort has been made to ensure that the contents of this publication were accurate and up-to-date at the time of publication – January 2012. Opel vehicles are equipped with components manufactured by various General Motors operating units and outside suppliers. The Company reserves the right to change specifications and withdraw products from sale without notice. Any such alterations will be notified to Opel dealers at the earliest opportunity; please consult your local dealer for the latest information. The specifications detailed within this brochure are not necessarily applicable to alternative models such as Special Editions. Details of any such models will be contained in specific literature or found on the Opel website. Please note that Opel dealers are not the agents of General Motors Ireland Limited and are not authorised to bind the Company by any specific or implied undertaking or representation. It is advisable to ensure that your motor insurance policy provides adequate cover for additional fitted options and accessories. All rights reserved. No part of this publication may be reproduced in any form or by any means, without the prior written permission of General Motors Ireland Limited.