

MERIVA PRICE GUIDE

2012 Model Year – Recommended prices and specification for the Republic of Ireland



Wir leben Autos.



Meriva prices

5-DOOR MPV

Model	Tax* band	RRP** (€)
MERIVA S		
1.4i 16v VVT (100PS) S/S	B	20495
1.4i 16v VVT Turbo (120PS)	B	21495
1.3CDTi 16v (75PS)	B	21595
1.3CDTi 16v (95PS) ecoFLEX	A	21995
1.7CDTi 16v (130PS)	B	22345
1.7CDTi 16v (110PS) auto	D	24945
MERIVA SC		
1.4i 16v VVT (100PS) S/S	B	21695
1.4i 16v VVT Turbo (120PS)	B	22695
1.4i 16v VVT Turbo (140PS)	C	23695
1.3CDTi 16v (75PS)	B	22795
1.3CDTi 16v (95PS) ecoFLEX	A	23195
1.7CDTi 16v (130PS)	B	23545
1.7CDTi 16v (110PS) auto	D	26145
MERIVA LIMITED EDITION		
1.4i 16v VVT (100PS) S/S	B	22845
1.4i 16v VVT Turbo (120PS)	B	23845
1.4i 16v VVT Turbo (140PS)	C	24896
1.3CDTi 16v (75PS)	B	23945
1.7CDTi 16v (130PS)	B	24695
1.7CDTi 16v (110PS) auto	D	27400

5-DOOR MPV

Model	Tax* band	RRP** (€)
MERIVA SE		
1.4i 16v VVT (100PS) S/S	B	23195
1.4i 16v VVT Turbo (120PS)	B	24195
1.4i 16v VVT Turbo (140PS)	C	25195
1.3CDTi 16v (75PS)	B	24295
1.7CDTi 16v (130PS)	B	25045
1.7CDTi 16v (110PS) auto	D	27645

* = Please note, taxes are levied at different rates dependent on CO₂ emissions. A (0-120g/km) = 14%, B (121-140g/km) = 16%, C (141-155g/km) = 20%, D (156-170g/km) = 24%, E (171-190g/km) = 28%, F (191-225g/km) = 32%, G (226g/km and above) = 36%.

** = Recommended Retail Prices (RRP) quoted are ex-works. Includes Vehicle Registration Tax and VAT, excludes number plates and delivery charges. Prices effective 1 January 2012. Prices subject to alteration or change without notice or obligation.

S/S = Start/Stop.

Meriva options

	S	SC	Limited Edition	SE	Prices including taxes* (€)			
					A	B	C	D
OPTION PACKS								
Leather Pack ¹ • Leather seat facings • Electrically heated front seats • Driver's ergonomic sports seat with tilt and electrical lumbar adjustment				○	–	1497	1563	1634
OPC Styling Pack ² • Body-colour front lower spoiler/side sills/rear lower skirt/rear spoiler		○ ³	○	○	1363	1392	1453	1520
Ergonomic Driver's Sports Seat Pack • Ergonomic sports front seat with extendable seat cushion • Tilt and electrical lumbar adjustment		○	○	○ ¹	683	698	729	762
Protection Pack • Full-size curtain airbags • Active-safety front seat head restraints • Seatbelt unfastened warning light for rear seats	○	●	●	●	519	530	553	578
Sight and Light Pack • Automatic lighting control with tunnel detection • Rain-sensitive windscreen wipers • Electro-chromatic anti-dazzle rear-view mirror		○	○	○	246	252	263	275
Winter Pack • Electrically heated front seats • Electrically heated leather-covered steering wheel		○	○	○	321	328	342	358
Convenience Pack • 12-volt electrical accessory socket in luggage compartment • Load-restraining floor net in luggage compartment		○	○	○	15	16	16	17
SAFETY OPTIONS								
Height-adjustable centre rear seat head rest	○	○	○	○	51	52	54	57
Hill Start Assist incorporating tyre pressure monitoring system (manual models only)		○	○	○	223	227	237	248
INTERIOR OPTIONS								
Air conditioning	○	●	●	●	981	1002	1046	1093
Dual-zone Electronic Climate Control (ECC) incorporating air conditioning		○	○	○	438	447	466	488
Front sliding centre storage module with armrest and lid		○	○	●	75	76	80	83

Prices effective as of 1 January 2012. Prices are subject to alteration without notice or obligation. ○ = Optional at extra cost. ● = Standard equipment.

1 = Deletes front passenger's underseat storage tray, driver's underseat storage box and aviation-style folding trays on front seat backs. 2 = Not available in conjunction with Flex-Fix® integrated carrier system or space-saver spare wheel/tyre. 3 = Not available on 1.3CDTi 16v (95PS) ecoFLEX models.

* = Please note, taxes are levied at different rates dependent on CO₂ emissions. A (0-120g/km) = 14%, B (121-140g/km) = 16%, C (141-155g/km) = 20%, D (156-170g/km) = 24%, E (171-190g/km) = 28%, F (191-225g/km) = 32%, G (226g/km and above) = 36%.

Meriva options

	S	SC	Limited Edition	SE	Prices including taxes* (€)			
					A	B	C	D
EXTERIOR AND CONVENIENCE OPTIONS								
17-inch five-spoke alloy wheels (emergency tyre inflation kit) with 225/45 R 17 ultra-low profile tyres ³		○			440	449	469	490
18-inch five-twin-spoke alloy wheels (emergency tyre inflation kit) with 225/40 R 18 ultra-low profile tyres				○	–	545	569	595
16-inch steel space-saver spare wheel/tyre (in lieu of emergency tyre inflation kit) ³	○	○ ⁴	○ ⁴	○ ⁴	124	127	132	138
Adaptive Forward Lighting (AFL) – halogen		○	○	○	393	401	419	438
Front fog lights		○	●	●	221	226	236	247
Front and rear parking distance sensors	○	○	○	○	392	400	418	437
Flex-Fix [®] integrated carrier system (includes two-bicycle carrier attachment) ⁵		○ ³	○	○	783	800	835	873
Brilliant paint	○	○	○	○	155	155	155	155
Two-coat metallic or pearlescent paint	○	○	○	○	535	535	535	535
AUDIO AND COMMUNICATION OPTIONS								
NAVI 600 • Satellite navigation system • CD player with MP3 functionality • SD memory card slot • USB connection with iPod control • Aux-in socket • Stereo radio • RDS with Traffic Programme • Colour monitor • Seven speakers	○	○	○	○	1260	1287	1343	1405
DAB digital radio		○	○	○	230	235	246	257
Mobile phone system with Bluetooth [®] (does not include phone)	○ ⁶	○	○	○	359	366	382	400
Embedded mobile phone system with Bluetooth [®] (does not include phone)		○	○	○	608	621	648	678

Prices effective as of 1 January 2012. Prices are subject to alteration without notice or obligation. ○ = Optional at extra cost. ● = Standard equipment.

³ = Not available on 1.3CDTi 16v (95PS) ecoFLEX models. ⁴ = Not available in conjunction with Flex-Fix[®] integrated carrier system or OPC Styling Pack. ⁵ = Not available in conjunction with space-saver spare wheel/tyre or OPC Styling Pack. Additional number plate required at extra cost. ⁶ = Includes steering wheel mounted audio controls and cruise control.

* = Please note, taxes are levied at different rates dependent on CO₂ emissions. A (0-120g/km) = 14%, B (121-140g/km) = 16%, C (141-155g/km) = 20%, D (156-170g/km) = 24%, E (171-190g/km) = 28%, F (191-225g/km) = 32%, G (226g/km and above) = 36%.

Meriva technical data

Petrol engines

	1.4i 16v VVT	1.4i 16v VVT Turbo	1.4i 16v VVT Turbo
Capacity	1398cc	1364cc	1364cc
Maximum power*	100PS (74kW) @ 6000rpm	120PS (88kW) @ 4200-6000rpm	140PS (103kW) @ 4900-6000rpm
Maximum torque	130Nm (96 lb.ft.) @ 4000rpm	200Nm (147 lb.ft.) @ 1850-4200rpm	200Nm (147 lb.ft.) @ 1850-4900rpm
Configuration	4 cylinders, 4 valves per cylinder, double overhead camshafts		
Fuel/induction system	Naturally aspirated. Variable Valve Timing (VVT). Multi-point sequential fuel injection	Turbocharger with intercooler. Variable Valve Timing (VVT). Multi-point sequential fuel injection	
Emission compliance	Euro 5		
Service interval	30,000km or 1 year (whichever occurs sooner)		

Diesel engines

	1.3CDTi 16v (75PS)	1.3CDTi 16v (95PS) ecoFLEX	1.7CDTi 16v (110PS)	1.7CDTi 16v (130PS)
Capacity	1248cc	1248cc	1686cc	1686cc
Maximum power*	75PS (55kW) @ 4000rpm	95PS (70kW) @ 4000rpm	110PS (81kW) @ 3600rpm	130PS (96kW) @ 4000rpm
Maximum torque	180Nm (133 lb.ft.) @ 1750-2500rpm	180Nm (133 lb.ft.) @ 1750-3500rpm	280Nm (206 lb.ft.) @ 2300rpm	300Nm (221 lb.ft.) @ 2000-2500rpm
Configuration	4 cylinders, 4 valves per cylinder, double overhead camshafts			
Fuel/induction system	Turbocharger with intercooler. Common rail fuel injection	Variable geometry turbocharger with intercooler. Common rail fuel injection		
Emission compliance	Euro 5 with Diesel Particulate Filter			
Service interval	30,000km or 1 year (whichever occurs sooner)			

* = To calculate BHP divide the PS figure by 1.0136.

Meriva technical data

Performance, fuel economy and emissions

	Performance (manufacturer's figures)		Fuel economy litres/100km (mpg)			CO ₂ emissions g/km
	Maximum speed km/h (mph)	Acceleration (sec) 0-100km/h	Urban driving	Extra- urban driving	Combined figure	
Manual						
1.4i 16v VVT (100PS) Start/Stop	177 (110)	13.9	6.9 (40.9)	5.0 (56.5)	5.7 (49.6)	134
1.4i 16v VVT Turbo (120PS)	188 (117)	11.5	7.8 (36.2)	4.8 (58.9)	5.9 (47.9)	139
1.4i 16v VVT Turbo (140PS)	196 (122)	10.3	8.4 (33.6)	5.3 (53.3)	6.4 (44.1)	151
1.3CDTi 16v (75PS)	160 (99)	16.9	5.7 (49.6)	4.4 (64.2)	4.9 (57.6)	129
1.3CDTi 16v (95PS) ecoFLEX	168 (104)	13.8	5.6 (50.4)	3.9 (72.4)	4.5 (62.8)	119
1.7CDTi 16v (130PS)	196 (122)	9.9	6.5 (43.5)	4.5 (62.8)	5.3 (53.3)	139
Automatic						
1.7CDTi 16v (110PS)	178 (111)	12.9	7.9 (35.8)	5.0 (56.5)	6.1 (46.3)	160

Fuel consumption and CO₂ emission data complies with the relevant EU testing regulations used by vehicle manufacturers to enable comparisons between different models. **Important:** Please note fuel consumption can be affected by many factors including driving style, road and traffic conditions, vehicle mileage and standard of maintenance. In addition these results relate to the particular vehicle tested, inevitably there will be differences between individual vehicles of the same model.

Smarter driving tips

- Drive at an appropriate speed:**
 Staying within the speed limit increases driver safety, reduces CO₂ emissions and saves fuel. At 115km/h you could be using up to 9% more fuel than at 100km/h and up to 15% more fuel than at 80km/h
- Drive smoothly at all times:** Anticipate the ebb and flow of the traffic to avoid harsh acceleration and braking
- Reduce your revs:** Change gear earlier to help reduce fuel consumption – try 2500rpm with petrol engines and 2000rpm with diesel
- Idling is wasting fuel:** If you're likely to be at a standstill for more than three minutes, switch off the engine to save fuel, or let the Start/Stop system do it for you, if your model has this fitted!
- Regularly check your tyre pressures:** Under inflated tyres increase CO₂ emissions whilst incorrectly inflated tyres can be unsafe. Always check your handbook for the correct tyre pressure. This will also help to increase the life of your tyres
- Remove unnecessary items from the car:** Extra weight increases the engine's workload which in turn burns more fuel and increases CO₂ emissions

Meriva technical data

Weights and towing data kg

	Gross vehicle weight	Max. towing weights Trailer with brakes (without brakes)
1.4i 16v VVT (100PS) Start/Stop S	1890	750 (670)
1.4i 16v VVT (100PS) Start/Stop SC/Limited Edition/SE	1905	750 (670)
1.4i 16v VVT Turbo (120PS) S	1915	1050 (680)
1.4i 16v VVT Turbo (120PS) SC/Limited Edition/SE	1930	1050 (680)
1.4i 16v VVT Turbo (140PS) SC/Limited Edition/SE	1965	1200 (680)
1.3CDTi 16v (75PS) S	1950	1000 (710)
1.3CDTi 16v (75PS) SC/Limited Edition/SE	1965	1000 (710)
1.3CDTi 16v (95PS) ecoFLEX S	1785	–
1.3CDTi 16v (95PS) ecoFLEX SC	1800	–
1.7CDTi 16v (110PS) S	2045	1200 (740)
1.7CDTi 16v (110PS) SC/Limited Edition/SE	2060	1200 (740)
1.7CDTi 16v (130PS) S	2025	1200 (740)
1.7CDTi 16v (130PS) SC/Limited Edition/SE	2040	1200 (740)

Please note: For S models fitted with optional air conditioning 15kg must be added to gross vehicle weight. **Gross vehicle weight** is the total permissible weight of the vehicle including passengers and their luggage. The **maximum roof rack loading** should not exceed a total of 60kg. The **maximum towing weights** are based on the ability of the car, with two occupants of 75kg each, to restart on a 12% gradient, which is approximately 1 in 8.3, at sea level. At altitudes above 1500 metres, the engine output may drop with a corresponding reduction in towing capability. Any extra weight, such as luggage or additional passengers, should be deducted from the maximum towing weight. With a trailer fully loaded, **maximum noseweight** should not exceed 75kg. Always fit Opel towing attachments and accessories available from your Opel dealer. They are designed specifically for Opel models and carry a 24-month guarantee.

Meriva technical data

Transmission

Five-speed manual gearbox:

Fitted as standard to 1.4i 16v VVT (100PS) Start/Stop, 1.4i 16v VVT Turbo (120PS) and 1.3CDTi 16v models. First and second gears feature triple-cone synchronisation for ease of engagement.

Six-speed manual gearbox:

Fitted as standard to 1.4i 16v VVT Turbo (140PS) and 1.7CDTi 16v (130PS) models. First and second gears feature triple-cone synchronisation for ease of engagement. Reverse gear is also synchronised.

Six-speed automatic transmission:

Fitted as standard to 1.7CDTi 16v (110PS) models. Electronically controlled with adaptive driving function that adjusts to the driving style and prevailing road conditions. Fluid drive with torque converter, lock-up clutch, neutral control fuel-saving feature and Active Select.

Steering

- Rack and pinion
- Speed-sensitive electric power-assisted steering standard on all models
- Turning circle (kerb-to-kerb):
Wheels up to 17 inches – 11.06m (36.3ft.)
18-inch wheels – 11.19m (36.7ft.)
- Turns lock-to-lock:
Wheels up to 17 inches – 2.51
18-inch wheels – 2.45

Suspension

Front: Independent. MacPherson struts with coil springs and gas-pressure dampers. Anti-roll bar.

Rear: Torsion tube with compound links. Progressive-rate double conical mini-block springs and gas-pressure dampers.

Brakes

- Electric parking brake
- Anti-lock Braking System (ABS)
- Asbestos-free friction material
- Dual circuit, diagonally split, dual rate servo-assisted system
- Low brake fluid level warning light
- Plastic-coated brake pipes

1.4i 16v VVT (100PS) Start/Stop/1.3CDTi 16v

Front ventilated discs: 280mm diameter

Rear discs: 264mm diameter

1.4i 16v VVT Turbo/1.7CDTi 16v

Front ventilated discs: 308mm diameter

Rear discs: 264mm diameter

Body

- Aerodynamic drag co-efficient: Cd 0.33

Anti-corrosion warranty


- 12-year body panel anti-perforation warranty

Fuel tank capacity

- 54 litres (11.9 gallons)

Meriva technical data

Exterior dimensions millimetres (inches)



Loadspace dimensions millimetres (inches)

Maximum load length behind front seat	1642 (64.6)
Maximum load area width	1052 (41.4)
Maximum load area height	803 (31.6)
Maximum tailgate aperture width	1086 (42.8)
Maximum tailgate aperture height	791 (31.1)

Luggage capacities* litres (cu.ft.)

Three rear seats configuration

To upper edge of rear seat back	397 (14.0)
Rear seats folded flat (to upper edge of front seat back)	916 (32.3)
Rear seats folded flat (to roof)	1496 (52.8)

* = Measured using the ECIE method.

www.opel.ie

Every effort has been made to ensure that the contents of this publication were accurate and up-to-date at the time of publication – January 2012. Opel vehicles are equipped with components manufactured by various General Motors operating units and outside suppliers. The Company reserves the right to change specifications and withdraw products from sale without notice. Any such alterations will be notified to Opel dealers at the earliest opportunity; please consult your local dealer for the latest information. The specifications detailed within this brochure are not necessarily applicable to alternative models such as Special Editions. Details of any such models will be contained in specific literature or found on the Opel website. Please note that Opel dealers are not the agents of General Motors Ireland Limited and are not authorised to bind the Company by any specific or implied undertaking or representation. It is advisable to ensure that your motor insurance policy provides adequate cover for additional fitted options and accessories. All rights reserved. No part of this publication may be reproduced in any form or by any means, without the prior written permission of General Motors Ireland Limited.