

ZAFIRA TOURER PRICE GUIDE

2012 Model Year – Recommended prices and specification for the Republic of Ireland



Wir leben Autos.



Zafira Tourer prices

5-DOOR MPV

Model	Tax* band	RRP** (€)
ZAFIRA S		
2.0CDTi 16v (110PS)	B	28495
2.0CDTi 16v (130PS) ecoFLEX S/S	A	28995
ZAFIRA SC		
1.4i 16v VVT Turbo (140PS) S/S	C	28995
1.4i 16v VVT Turbo (140PS) auto	D	31995
2.0CDTi 16v (130PS) ecoFLEX S/S	A	30495
2.0CDTi 16v (165PS) S/S	B	31995
2.0CDTi 16v (165PS) auto	D	34995

5-DOOR MPV

Model	Tax* band	RRP** (€)
ZAFIRA SE		
1.4i 16v VVT Turbo (140PS) S/S	C	30495
1.4i 16v VVT Turbo (140PS) auto	D	33495
2.0CDTi 16v (130PS) ecoFLEX S/S	A	31995
2.0CDTi 16v (165PS) S/S	B	33495
2.0CDTi 16v (165PS) auto	D	36495
ZAFIRA ELITE		
1.4i 16v VVT Turbo (140PS) S/S	C	32995
1.4i 16v VVT Turbo (140PS) auto	D	35995
2.0CDTi 16v (165PS) S/S	B	35995
2.0CDTi 16v (165PS) auto	D	38995

* = Please note, taxes are levied at different rates dependent on CO₂ emissions. A (0-120g/km) = 14%, B (121-140g/km) = 16%, C (141-155g/km) = 20%, D (156-170g/km) = 24%, E (171-190g/km) = 28%, F (191-225g/km) = 32%, G (226g/km and above) = 36%.

** = Recommended Retail Prices (RRP) quoted are ex-works.

Includes Vehicle Registration Tax and VAT, excludes number plates and delivery charges. Prices effective 1 January 2012.

Prices subject to alteration or change without notice or obligation.

S/S = Start/Stop.

Zafira Tourer options

	S	SC	SE	Elite	Prices including taxes* (€)			
					A	B	C	D
OPTION PACKS								
Seat Comfort Pack One • Driver's seat with tilt and four-way electrical lumbar adjustment	○	○	○		199	203	212	221
Seat Comfort Pack Two • Driver's and front passenger's seat with height, tilt and four-way electrical lumbar adjustment	○	○	○ ¹		255	260	271	284
Leather Pack • Leather seat facings • Electrically heated front seats • Driver's ergonomic sports front seat • Front passenger's extendable seat cushion				●	1493	1524	1591	1664
Premium Forward Lighting Pack • Intelligent Adaptive Forward Lighting (AFL) • Dark-style bi-xenon headlights with dynamic beam levelling • LED daytime running lights • High-pressure headlight washers			○	○	1120	1143	1193	1248
Front Camera System² • Solar Protect windscreen • Adaptive Cruise Control • Following Distance Indicator • Forward Collision Alert • Lane Departure Warning • Traffic Sign Recognition			○	○	1045	1067	1114	1165
Park and Go Technology Pack • Satellite navigation (Navi 600) • Rear view camera • Advanced Parking Assist (APA) • Side blind spot alert • Electrically foldable door mirrors			○	○	1940	1981	2068	2162
OPC Styling Pack³ • Body-colour front lower spoiler/side sills/rear lower skirt/rear spoiler		○	○	○	1042	1063	1110	1161
Towing Pack • Detachable tow bar • Trailer stability programme	○	○	○	○	946	966	1008	1054
FlexOrganiser[®] Pack • 3D storage net • Side net pocket • Four side rail hooks • Four side rails	○	○	○	○	210	214	224	234
SAFETY AND SECURITY OPTIONS								
Remote control ultrasonic security alarm system		○	●	●	349	357	372	390
INTERIOR OPTIONS								
Ergonomic sports front seats with driver's extendable seat cushion, four-way electrical lumbar adjustment and seat tilt adjustment			○ ⁴	●	586	599	625	653
Vertical load-restraining net	○	○	○	○	190	194	203	212
FlexCover interior protection liner	○	○	○	○	71	73	76	80
Rear side window sunblinds		○	○	○	85	87	91	95
CHASSIS TECHNOLOGY OPTION								
FlexRide adaptive chassis control system with Continuous Damping Control (CDC)			○ ⁵	○	1045	1067	1114	1165

Prices effective as of 1 January 2012. Prices are subject to alteration without notice or obligation. ○ = Optional at extra cost. ● = Standard equipment.

1 = Deletes driver's and front passenger's underseat storage facility. 2 = Only available on 2.0CDTi 16v (165PS) manual and automatic models, and 1.4i 16v VVT Turbo (140PS) manual models. 3 = Not available in conjunction with Flex-Fix[®] integrated carrier system, 2.0CDTi 16v (130PS) ecoFLEX Start/Stop models or Royal Blue and Silky Shadow exterior colours. 4 = Not available with optional Choccachino seat trim, and changes standard trim to Lace cloth. 5 = Not available on 2.0CDTi 16v (130PS) ecoFLEX Start/Stop models.

* = Please note, taxes are levied at different rates dependent on CO₂ emissions. A (0-120g/km) = 14%, B (121-140g/km) = 16%, C (141-155g/km) = 20%, D (156-170g/km) = 24%, E (171-190g/km) = 28%, F (191-225g/km) = 32%, G (226g/km and above) = 36%.

Zafira Tourer options continued

	S	SC	SE	Elite	Prices including taxes* (€)			
					A	B	C	D
EXTERIOR AND CONVENIENCE OPTIONS								
Panoramic windscreen and panoramic sunroof with electrically operated interior sunblind			○ ⁶	●	986	1006	1051	1099
Electrically foldable door mirrors		○	○	○	288	294	307	321
Front and rear parking distance sensors	○	●	●	●	502	512	–	–
Tyre pressure monitoring system		○	○	○	200	204	213	223
17-inch 10-spoke alloy wheels with 225/50 R 17 tyres		○	●		349	357	372	390
18-inch 10-spoke alloy wheels with 235/45 R 18 tyres			○ ⁷	●	897	916	957	1001
19-inch five-spoke alloy wheels with 235/40 R 19 tyres				○	1343	1371	1431	1497
Space-saver spare wheel (in lieu of emergency tyre inflation kit)	○	○	○	○	144	147	153	160
LED rear lights		○	○	○	325	332	347	363
Flex-Fix [®] integrated carrier system (includes two-bicycle carrier attachments) ⁸			○ ⁷	○	1194	1219	1273	1331
Brilliant paint	○	○	○	○	155	155	155	155
Two-coat metallic or pearlescent paint	○	○	○	○	535	535	535	535
AUDIO, NAVIGATION AND COMMUNICATION OPTIONS								
Navi 600 • Satellite navigation system • Street level mapping for UK and Ireland • CD/MP3 CD player • SD card slot and aux-in socket • AM/FM stereo radio with 36 station presets • RDS with Traffic Programme • Remote colour monitor • 20 watts per channel output • 7 speakers • Shark fin/integrated aerial		○	○	○	1214	1240	1294	1354
Navi 900 • Satellite navigation system • Street level mapping for Europe • Major route mapping for more than 30 European countries • CD/MP3 CD player • SD card slot and aux-in socket • AM/FM stereo radio with 36 station presets • RDS with Traffic Programme • Remote colour monitor • 20 watts per channel output • 7 speakers • Shark fin/integrated aerial		○	○	○	1487	1518	1585	1657
USB connection with iPod control	○	●	●	●	187	191	–	–
Bluetooth [®] Mobile phone system (does not include phone)	○	○	○	○	357	365	381	398
Embedded Bluetooth [®] Mobile phone system (does not include phone)		○	○	○	597	609	636	665

Prices effective as of 1 January 2012. Prices are subject to alteration without notice or obligation. ○ = Optional at extra cost. ● = Standard equipment.

⁶ = Deletes silver-effect roof rails. ⁷ = Not available on 2.0CDTi 16v (130PS) ecoFLEX Start/Stop models. ⁸ = Not available in conjunction with space-saver spare wheel, Towing Pack or OPC Styling Pack.

* = Please note, taxes are levied at different rates dependent on CO₂ emissions. A (0-120g/km) = 14%, B (121-140g/km) = 16%, C (141-155g/km) = 20%, D (156-170g/km) = 24%, E (171-190g/km) = 28%, F (191-225g/km) = 32%, G (226g/km and above) = 36%.

Zafira Tourer technical data

Engines

	1.4i 16v VVT Turbo (140PS) ECOTEC-4 with and without Start/Stop	2.0CDTi 16v (110PS) ECOTEC-4 Turbo diesel	2.0CDTi 16v (130PS) ECOTEC-4 Turbo diesel with and without Start/Stop	2.0CDTi 16v (165PS) ECOTEC-4 Turbo diesel with Start/Stop
Fuel type	Petrol	Diesel	Diesel	Diesel
Capacity	1364cc	1956cc	1956cc	1956cc
Maximum power*	140PS (103kW) @ 4900-6000rpm	110PS (81kW) @4000rpm	130PS (96kW) @4000rpm	165PS (121kW) @ 4000rpm
Maximum torque	200Nm (147 lb.ft.) @ 1850-4900rpm	260Nm (192 lb.ft.) @ 1750-2500rpm	300Nm (221 lb.ft.) @ 1750-2500rpm	350Nm (258 lb.ft.) @ 1750-2500rpm
Configuration	4 cylinders, 4 valves per cylinder, double overhead camshafts			
Fuel/induction system	Water-cooled turbocharger with intercooler. Variable Valve Timing (VVT). Multi-point sequential fuel injection	Variable geometry turbocharger with intercooler. Common rail fuel injection. Diesel Particulate Filter		
Emission compliance	Euro 5			
Service interval	30,000km or 1 year (whichever occurs sooner)			

* - To calculate BHP divide the PS figure by 1.0136.

Zafira Tourer technical data

Smarter driving tips

- **Drive at an appropriate speed:**

Staying within the speed limit increases driver safety, reduces CO₂ emissions and saves fuel. At 115km/h you could be using up to 9% more fuel than at 100km/h and up to 15% more fuel than at 80km/h

- **Drive smoothly at all times:** Anticipate the ebb and flow of the traffic to avoid harsh acceleration and braking

- **Reduce your revs:** Change gear earlier to help reduce fuel consumption – try 2500rpm with petrol engines and 2000rpm with diesel

- **Idling is wasting fuel:** If you're likely to be at a standstill for more than three minutes, switch off the engine to save fuel

- **Regularly check your tyre pressures:**

Under inflated tyres increase CO₂ emissions whilst incorrectly inflated tyres can be unsafe. Always check your handbook for the correct tyre pressure. This will also help to increase the life of your tyres

- **Remove unnecessary items from the car:** Extra weight increases the engine's workload which in turn burns more fuel and increases CO₂ emissions

Performance, fuel economy and emissions

	Performance (manufacturer's figures)		Fuel economy litres/100km (mpg)			CO ₂ emissions g/km
	Maximum speed km/h (mph)	Acceleration (sec) 0-100km/h	Urban driving	Extra- urban driving	Combined figure	
Manual						
1.4i 16v VVT Turbo (140PS) Start/Stop	202	10.7	8.1 (34.9)	5.3 (53.3)	6.3 (44.8)	148
2.0CDTi 16v (110PS)	183	12.5	6.4 (44.1)	4.5 (62.8)	5.2 (54.3)	137
2.0CDTi 16v (130PS) ecoFLEX Start/Stop	193	11.4	5.3 (53.3)	4.0 (70.6)	4.5 (62.8)	119
2.0CDTi 16v (165PS) Start/Stop	208	9.8	6.2 (45.6)	4.6 (61.4)	5.2 (54.3)	137
Automatic						
1.4i 16v VVT Turbo (140PS)	197	10.9	9.7 (29.1)	5.8 (48.7)	7.2 (39.2)	169
2.0CDTi 16v (165PS)	205	9.9	8.0 (35.3)	4.9 (57.6)	6.0 (47.1)	159

Fuel consumption and CO₂ emission data complies with the relevant EU testing regulations used by vehicle manufacturers to enable comparisons between different models. **Important:** Please note fuel consumption can be affected by many factors including driving style, road and traffic conditions, vehicle mileage and standard of maintenance. In addition these results relate to the particular vehicle tested, inevitably there will be differences between individual vehicles of the same model.

* = Manufacturer's figures.

Weights and towing data kg

	Gross vehicle weight	Max. towing weights Trailer with brakes (without brakes)
1.4i 16v VVT Turbo (140PS) Start/Stop	2320	1250 (750)
1.4i 16v VVT Turbo (140PS) automatic	2340	1250 (750)
2.0CDTi 16v (110PS)	2415	1300 (750)
2.0CDTi 16v (130PS) ecoFLEX Start/Stop	2340	1300 (750)
2.0CDTi 16v (165PS) Start/Stop	2430	1450 (750)
2.0CDTi 16v (165PS) automatic	2445	1400 (750)

Gross vehicle weight is the total permissible weight of the vehicle including passengers and their luggage. The **maximum roof rack loading** should not exceed 100kg. The **maximum towing weights** are based on the ability of the car, with two occupants of 75kg each, to restart on a 12% gradient, which is approximately 1 in 8.3, at sea level. At altitudes above 1500 metres, the engine output may drop with a corresponding reduction in towing capability. Any extra weight, such as luggage or additional passengers, should be deducted from the maximum towing weight. With a trailer fully loaded, **maximum noseweight** should not exceed 75kg. Always fit Vauxhall towing attachments and accessories available from your Vauxhall retailer. They are designed specifically for Vauxhall models and carry a 12-month guarantee.

Zafira Tourer technical data

Anti-corrosion warranty

- 12-year body panel anti-perforation warranty

Brakes

- Anti-lock Braking System (ABS)
- Dual circuit, diagonally split braking system

Front ventilated discs: 300mm diameter

Rear discs: 292mm diameter

Wheels and tyres

S

– 17-inch steel wheels with 225/50 R 17 tyres

SC

– 17-inch 5-spoke structure wheels with 225/50 R 17 tyres

SE

– 17-inch 10-spoke alloy wheels with 225/50 R 17 tyres

Elite

– 18-inch 10-spoke alloy wheels with 235/45 R 18 tyres

- Emergency tyre inflation kit included in lieu of spare wheel

Fuel tank capacity

- All models – 58 litres (12.8 gallons)

Steering

- Electro-hydraulic power-assisted steering
- Turning circle (kerb-to-kerb):
All models – 11.40m (37.4ft.)

Suspension

Front: Independent. Lightweight MacPherson struts with gas-pressure dampers and coil springs. Anti-roll bar. Hydro-formed subframe offers increased lateral stiffness. Hydraulic control arm bushing gives improved insulation from road noise.

Rear: Semi-independent rear suspension with Watt's link and gas-pressure dampers


- SE/Elite – FlexRide adaptive chassis control system with Continuous Damping Control, optional at extra cost

Body

- Aerodynamic drag co-efficient: Cd 0.30

Zafira Tourer technical data

Exterior dimensions millimetres (inches)



Loadspace dimensions millimetres (inches)

Maximum floor length – behind front seats, second-row and third-row seats folded	1832 (72.1)
Maximum floor length – behind second-row seat	1093 (43.0)
Width between wheel arches	1057 (41.6)
Tailgate aperture height	840 (33.0)
Tailgate aperture lower width	1050 (41.3)

Luggage capacities litres (cu.ft.)

Behind third-row, to glass line	152 (5.4)
Behind second-row, to glass line	710 (25.1)
Behind front seats, to roof	1860 (65.6)

www.opel.ie

Every effort has been made to ensure that the contents of this publication were accurate and up-to-date at the time of publication – January 2012. Opel vehicles are equipped with components manufactured by various General Motors operating units and outside suppliers. The Company reserves the right to change specifications and withdraw products from sale without notice. Any such alterations will be notified to Opel dealers at the earliest opportunity; please consult your local dealer for the latest information. The specifications detailed within this brochure are not necessarily applicable to alternative models such as Special Editions. Details of any such models will be contained in specific literature or found on the Opel website. Please note that Opel dealers are not the agents of General Motors Ireland Limited and are not authorised to bind the Company by any specific or implied undertaking or representation. It is advisable to ensure that your motor insurance policy provides adequate cover for additional fitted options and accessories. All rights reserved. No part of this publication may be reproduced in any form or by any means, without the prior written permission of General Motors Ireland Limited.