OPEL COMBO PRICES/OPTIONS

2017 models. Prices effective 1.9.16





COMBO PRICES

Trim	Engine	Transmission	CO ₂	RRP inc. VAT & VRT €
PANEL VAN				
2000 L1 H1	1.3CDTi (95PS)	Manual	133	16,060
2000 L1 H1	1.6CDTi (105PS)	Manual	120	17,985
2000 L1 H1 Sportive	1.3CDTi (95PS)	Manual	133	17,310
2000 L1 H1 Sportive	1.6CDTi (105PS) Start/Stop	Manual	134	19,730
2300 L1 H1	1.3CDTi (95PS)	Manual	133	16,360
2300 L1 H1	1.6CDTi (105PS)	Manual	121	18,285
2300 L1 H1 Sportive	1.3CDTi (95PS)	Manual	133	17,610
2300 L1 H1 Sportive	1.6CDTi (105PS) Start/Stop	Manual	134	20,030
2000 L1 H2	1.6CDTi (105PS) Start/Stop	Manual	131	19,480
2300 L1 H2	1.6CDTi (105PS) Start/Stop	Manual	131	19,780
2000 L1 H2 Sportive	1.6CDTi (105PS) Start/Stop	Manual	131	20,730
2300 L1 H2 Sportive	1.6CDTi (105PS) Start/Stop	Manual	131	21,030
2300 L2 H1	1.3CDTi (95PS)	Manual	136	17,410
2300 L2 H1	1.6CDTi (105PS)	Manual	121	18,785
2300 L2 H1 Sportive	1.3CDTi (95PS)	Manual	136	18,660
2300 L2 H1 Sportive	1.6CDTi (105PS) Start/Stop	Manual	135	20,530
2300 L2 H2	1.6CDTi (105PS) Start/Stop	Manual	133	20,280
GLAZED CREW VAN				
2300 L1 H1	1.3CDTi (95PS)	Manual	136	20,195
2300 L2 H1	1.3CDTi (95PS)	Manual	136	21,695
2300 L2 H1	1.6CDTi (105PS) Start/Stop	Manual	125	23,515

The above is for information purposes only as our products are continually updated and changes may be made to the specifications at any time. If you require any specific feature, you must consult your authorised Opel Dealer who is regularly updated with any change in specification. Specifications are subject to change without notice.

RRP does not include recommended delivery charge of €700. This price includes the recommended cost of PDI, number plates and delivery to an Opel Dealer. The recommended delivery charge does not include fuel supplied by the dealer, Motor insurance or any other goods or services supplied by agreement between the Dealer and the customer.

Prices effective 1.9.2016. Prices subject to alteration or change without notice or obligation.

SAFETY

Standard features • Electronic Stability Programme (ESP) with hill start assist and anti-slip regulator traction control • Daytime running lights • Anti-lock Braking System (ABS) with electronic brakeforce distribution • Emergency brake assist • Driver's airbag • Height-adjustable head restraints • Height-adjustable front seatbelts • Inertia-reel lap and diagonal seatbelts • Seatbelt pretensioner system • Front seatbelt force limiters • Side-impact protection beams • Laminated windscreen • Fire prevention system with fuel cut-off • Centre brake light

		Cor	nbo		Co	mbo
Additional features	Par	nel Van	Sp	ortive	Crev	w Van
Front passengers' airbag with deactivation switch	0	€224	0	€224	0	€254
Front passenger's airbag with driver and passenger's side-impact airbags	0	€305	0	€305	0	€346
Active-safety head restraints (front seats only)	0	€52	0	€52	0	€59

SECURITY

Standard features • Remote control central deadlocking • Electronic engine deadlock immobiliser • Electronic theft protection for audio equipment • 'Key left in ignition' audible warning

• Lockable glovebox • Lockable fuel filler cap

	Cor	nbo	Combo
Additional features	Panel Van	Sportive	Crew Van
Alarm pre-installation kit	O €62	O €62	O €70
Third key	O €77	O €77	O €87
Third key with remote control	O €103	O €103	

FACIA, INSTRUMENTS AND CONTROLS

Standard features • Trip computer, provides information on overall distance, trip distance, average and instantaneous fuel consumption, remaining range, distance and average speed since last reset • Trip odometer • Rev counter • Electronically controlled coolant temperature gauge and fuel gauge with low fuel level warning light • Service-due indicator • Gearshift indication light • 12-volt accessory socket • Digital clock • Reach and rake-adjustable steering column • Lidded glovebox • Dipping rear-view mirror (when glazed bulkhead and glazed rear doors/tailgate are specified) • Storage compartment on driver's side facia

	Con	nbo	Combo
Additional features	Panel Van	Sportive	Crew Van
Cruise control	O €153	O €153	O €173
Leather-covered steering wheel			
Leather-covered gear knob			

O = Optional at extra cost. = Only available as part of an extra-cost option pack.

SEATING

Standard features • Cube cloth seat trim • Reach and rake-adjustable driver and front passenger's seat

	Cor	nbo	Combo
Additional features	Panel Van	Sportive	Crew Van
Vinyl seat trim ¹	O €52		
Height-adjustable driver's seat with armrest and lumbar support	O ¹ €103	•	O €116
Front passenger's seat with under cushion storage compartment	O ¹ €32	O €32	
Rear seat with 'fold and tumble' facility and 60/40 split seat back and cushion			

AUDIO, COMMUNICATION AND NAVIGATION

		Combo	Combo
Features	Comb	Sportive	Crew Van
Driver Pack • CD/MP3 CD player/stereo radio/Bluetooth [®] connectivity for compatible mobile phones/aux-in socket/USB connectivity/ RDS with Traffic Programme/steering wheel mounted audio controls • Leather-covered steering wheel • Leather-covered gear knob • Pre-installation for TomTom navigation system (excludes satellite navigation)	O €5	58 O €558	O €633
CD player/stereo radio • CD player • AM/FM stereo radio with 24 station presets • RDS with Traffic Programme • 20 watts per channel output • 4 speakers	•	•	•
CD 50 multimedia • CD/MP3 CD player • Bluetooth [®] connectivity for compatible mobile phones • Aux-in socket • USB connectivity • AM/FM stereo radio with 24 station presets • RDS with Traffic Programme • Steering wheel mounted audio controls • 20 watts per channel output • 4 speakers	O €4	50 ⊖ €450	O €511
Pre-installation for TomTom navigation system (excludes satellite navigation)			
Flexible roof-mounted aerial		•	

INTERIOR

Standard features • Cabin interior courtesy light operated by door switches • Four-speed air blend heater • Two coat hooks • Door armrests • Overhead shelf (H2 models)

• Door storage pockets • Twin sunvisors, front passenger's with vanity mirror • Vinyl floor covering in cabin area • Passenger assist handle

		Combo	Combo
Additional features	Panel V	an Sportive	Crew Van
Air conditioning	0 €8	61	O €977
Electronic climate control incorporating air conditioning (mandates electrically adjustable / heated door mirrors with exterior temperature sensor at extra cost)		O €1008	
Overhead shelf	0 €3	D •	
Soundproofed bulkhead		•	
Smoker Pack • Cigar lighter • Removable ashtray	0 €6	7 O €67	O €76

● = Standard equipment. O = Optional at extra cost. □ = Only available as part of an extra-cost option pack.

1 = Vinyl seat trim is not available in conjunction with height-adjustable driver's seat or front passenger's seat with under cushion storage.

MECHANICAL

Standard features • Front-wheel drive • Five-speed manual gearbox (1.3CDTi) • Six-speed manual gearbox (1.6CDTi/2.0CDTi) • Electric power-assisted steering

	Cor	nbo	Combo
Additional feature	Panel Van	Sportive	Crew Van
Uprated alternator	O €103	O €103	O €116

EXTERIOR

	Cor	nbo	Combo
Additional features	Panel Van	Sportive	Crew Van
Winter Pack • Headlight washers • Front fog lights • Exterior temperature sensor • Electrically adjustable/heated door mirrors		O €356	
Front fog lights	O €137	O €137	O €155
Electrically adjustable/heated door mirrors	O €103	O €103	O €116
Electrically adjustable / heated door mirrors with exterior temperature sensor	O €153	O €153	O €172
Rear parking distance sensors	O €305	O €305	O €346
Roof rails (H1 models only) ²	O €179	O €179	
Body-colour bumpers and exterior door mirrors		•	
Two-coat metallic paint	O €482	•	O €547

WHEELS AND TYRES

		Comb	00	Co	ombo
Features	Panel \	an	Sportive	Cre	w Van
15-inch steel wheels with centre covers and 185/65 R 15 tyres (2000 models)					
16-inch steel wheels with centre covers and 195/60 R 16 tyres (2300 models)	•				
15-inch steel wheels with full-diameter wheel trims and 185/65 R 15 tyres (1.3CDTi/1.6CDTi 2000 models)			•		
16-inch steel wheels with full-diameter wheel trims and 195/60 R 16 tyres (2.0CDTi/2300 models)			•		•
16-inch alloy wheels with 195/60 R 16 tyres			O €608		
Winter tyres – Goodyear Ultragrip-7 195/65 R 15 (2000 models) or 195/60 R 16 (2300 models)	0 €2	75	O €275	0	€312
Tyre inflation kit			•		•
Full-size spare wheel (in lieu of tyre inflation kit)	0 €	53	O €153	0	€173

• = Standard equipment. O = Optional at extra cost.

2 = Not available with rear roof flap.

LOAD AREA

Standard features • Load restraint lashing eyes (six) • Illuminated load area


	Сог	mbo	Combo
Additional features	Panel Van	Sportive	Crew Van
Load Compartment Pack • Overhead shelf • PVC load floor covering • 12-volt accessory socket in load area • Removable load area courtesy light	O €153		
Full-height steel bulkhead	•	•	
Full-height steel bulkhead with window ³	O €52	O €52	
Protective ladder frame behind drive (behind second-row seats on Crew Van) ⁴	N/C ⁵		N/C
PVC load floor covering	O €50		
Nearside sliding side-access door (standard on L2 models)	O €356		
Offside sliding side-access door (standard on L2 models)		O €356	
Nearside and offside sliding side-access doors (standard on L2 models)	O €712		
Sliding windows in nearside and offside sliding side-access doors			•
Fixed windows in nearside sliding side-access door and opposite panel/door	O €812	O €812	
Unglazed asymmetric rear doors (90°/180°)	•	•	
Glazed asymmetric rear doors with heated windows and wash/wipe facility ⁷	O €254	O €254	O €288
Glazed tailgate with heated window and wash/wipe facility (H1 models) ⁷	O €204	O €204	•
Rear roof flap (L1 H1 models only) ^{5,8}	O €558	O €558	
Internal ladder storage bars ⁹	0 €229	O €229	

Standard equipment. O = Optional at extra cost. N/C = No-cost option.

3 = Only available when glazed rear doors or tailgate are specified. 4 = In lieu of full-height steel bulkhead on Panel van. 5 = Only available with Load Compartment Pack. 6 = The glazed crew van is not pre-approved for VAT reclaimable status and it is advisable that customers consult their local Traffic Office for further details. 7 = Only available when full-height steel bulkhead with window is specified. 8 = Not available with roof rails, glazed tailgate or full-size spare wheel. 9 = Not available with Load Compartment Pack or rear roof flap.

TECHNICAL DATA

DIESEL ENGINES



	1.3CDTi (95PS)	1.6CDTi (105PS) with Start/Stop		
Capacity	1248cc	1598cc		
Maximum power	95PS (70kW) @ 4000rpm	105PS (77kW) @ 4000rpm		
Maximum torque	200Nm (148 lb.ft.) @ 1500rpm	290Nm (214 lb.ft.) @ 1500rpm		
Configuration	4 cylinders, 4 valves per cylind	er, double overhead camshafts		
Fuel/induction system	Turbocharger with intercoole	er. Common rail fuel injection		
Emissions compliance	Eur	ro 6		
Service intervals	30,000km or two years (v	years (whichever occurs sooner)		

TECHNICAL DATA

Warranties*

Every new Combo comes with:

- A three-year/150,000km manufacturer's warranty
- Opel Assistance for 12 months from first registration
- 12-year body panel anti-perforation warranty

* = Warranty is only available on vehicles sourced from authorised Opel Ireland dealers. Terms and conditions apply – please see your Opel dealer for details.

Transmissions

- Front-wheel drive
- 1.3CDTi: Five-speed manual
- 1.6CDTi: Six-speed manual

Steering

- Hydraulic power-assisted rack and pinion system
- Energy-absorbing steering column
- Kerb-to-kerb turning circle: L1: 11.2m (36.7ft.) L2: 12.5m (41.0ft.)

Suspension

Front: Independent. MacPherson struts with coil springs, gas-pressure dampers and anti-roll bar.

Rear: Bi-link with coil springs, gaspressure dampers and anti-roll bar.

Electrics

Alternator:

- 1.3CDTi: 105A
- 1.6CDTi: 100A
- Models with air conditioning: 120A

Maintenance-free battery:

- 1.3CDTi: 63Ah
- 1.6CDTi/2.0CDTi: 72Ah

Brakes

- Electronic Stability Programme (ESP)
- Hill start assist
- Traction control
- Anti-lock Braking System (ABS) with electronic brakeforce distribution Front ventilated disc brakes:
- 1.3CDTi/1.6CDTi 2000 models: 284mm diameter
- 2300 models:
- 305mm diameter

Rear self-adjusting drum brakes:

• 1.3CDTi/1.6CDTi: 228mm diameter

Fuel tank capacity

60 litres (13.2 gallons).

Body

- Six-year body panel anti-perforation warranty
- Galvanised body panels
- Anti stone-chip mastic coating on sills
- Flush-fitted windscreen and rear door glass (when specified)
- Detachable front towing eye
- Rear towing eye

FUEL ECONOMY AND EMISSIONS (ALL MODELS)

	Fuel e	Fuel economy litres/100km [#]			
		Extra-urban	Combined	emissions	
	Urban driving	driving	figure	g/km [#]	
L1 H1 Panel Van					
2000 1.3CDTi (95PS)	6.5	4.2	5.0	133	
2000 1.6CDTi (105PS) Start/Stop	6.3	4.4	5.1	134	
2300 1.3CDTi (95PS)	6.5	4.2	5.0	133	
2300 1.6CDTi (105PS) Start/Stop	6.5	4.4	5.2	135	
L1 H1 Glazed Crew Van					
2300 1.3CDTi (95PS)	6.6	4.3	5.1	136	
2300 1.6CDTi (105PS) Start/Stop	6.4	4.5	5.2	136	
L1 H2 Panel Van					
2000 1.6CDTi (105PS) Start/Stop	5.3	4.7	4.9	131	
2300 1.6CDTi (105PS) Start/Stop	5.3	4.7	4.9	131	
L2 H1 Panel Van					
2300 1.3CDTi (95PS)	6.6	4.3	5.1	136	
2300 1.6CDTi (105PS) Start/Stop	6.5	4.4	5.2	135	
L2 H2 Panel Van					
2300 1.6CDTi (105PS) Start/Stop	5.6	4.7	5.0	133	
L2 H1 Glazed Crew Van					
2300 1.3CDTi (95PS)	6.6	4.3	5.1	136	
2300 1.6CDTi (105PS) Start/Stop	5.3	4.4	4.7	125	

= Fuel consumption information is official government environmental data, tested in accordance with the relevant EU directive. Official EU-regulated test data is provided for comparison purposes and actual performance will depend on driving style, road conditions and other non-technical factors.


TYRE RATINGS

Tyre size	Fuel efficiency	Wet grip	External noise		
	group	performance	Measured (dB)	Group	
185/65 R 15	C-E	A-C	68-69	(((- 1)))-)))	
195/65 R 15	C-E	C-E	68-70	(((- 1)))-))	
195/60 R 16	C-E	B-C	70-72	(((-)))-))	

Tyre rating according to EU Regulation 1222/2009

L1 H1 PANEL VAN

EXTERIOR DIMENSIONS MM (INCHES)



LOADSPACE DIMENSIONS MM (INCHES) Maximum load length Panel Van 1820 (71.7) Maximum load width 1714 (67.5) At widest point Between wheel arches 1230 (48.4) Maximum load height 1305 (51.4) Maximum height Rear and side load door(s) 1250 (49.2) Rear door aperture height Rear door aperture width 1231 (48.5) Side door aperture height 1175 (46.2) Side door aperture width 700 (27.5) Loading height Unladen 545 (21.4)

LOADSPACE VOLUMES CU.M (CU.FT.)

Heights shown unladen.

Panel Van	3.4 (121)
-----------	-----------


WEIGHTS AND TOWING DATA

	L	IK Plated wei	ghts and k	erbweight	kg	Towing weights	Plated Gross
	Front axle	Rear axle	То	tal		Trailer with brakes	Combination
	Plated	Plated	GVW	Kerb	Payload kg	(without brakes) kg	Weights (GCW) kg
L1 H1 Panel Van							
2000 1.3CDTi (95PS)	1090	1140	2040	1290	750	1000 (500)	3040
2000 1.6CDTi (105PS) Start/Stop	1090	1140	2098	1320	778	1300 (500)	3398
2300 1.3CDTi (95PS)	1090	1450	2320	1320	1000	1000 (500)	3320
2300 1.6CDTi (105PS) Start/Stop	1200	1450	2418	1390	1028	1300 (500)	3500

Note: Kerbweights are minimum vehicle kerbweight according to European Type Approval and include all fluids, tools and a 90% fuel load. They will vary according to the vehicle specification (including options and accessories) with a corresponding variation in payload. Kerbweights are also subject to manufacturing tolerances. Payload figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. UK and Ireland Specification adds radio and deadlocks to base vehicle adding 10kg. Sportive specification adds a further 45kg to Sportive L1 Panel Van and 30kg to Sportive L2 Panel Van. Gross plated weights (including axle weights) quoted on the vehicle plate are to UK and Ireland plated weight specification and must never be exceeded. Roof load should not exceed 100kg on H1 models including the weight of the roof rack/carrier. H2 models are not parmitted to carry roof loads.

L1 H1 GLAZED CREW VAN

EXTERIOR DIMENSIONS MM (INCHES)



Heights shown unladen.

LOADSPACE DIMENSIONS MM (INCHES)						
Maximum load length						
Crew Van with seats up	991 (39.0)					
Crew Van with seats down	1400 (55.1)					
Maximum load width						
At widest point	1714 (67.5)					
Between wheel arches	1230 (48.4)					
Maximum load height						
Maximum height	1305 (51.4)					
Rear and side load door(s)						
Rear door aperture height	1250 (49.2)					
Rear door aperture width	1231 (48.5)					
Side door aperture height	1175 (46.2)					
Side door aperture width	700 (27.5)					
Loading height						
Unladen	545 (21.4)					
LOADSPACE VOLUMES CU.M (CU	.+1.)					
Crew Van with seats up (to top of seats)	0.8 (28.2)					
	1					

Crew Van with seats up

(to roof)

WEIGHTS AND TOWING DATA


	L Front axle	JK Plated wei Rear axle	0	erbweight tal	5	Towing weights Trailer with brakes	Plated Gross Combination
	Plated	Plated	GVW	Kerb	Payload kg	(without brakes) kg	Weights (GCW) kg
L1 H1 Glazed Crew Van							
2300 1.3CDTi (95PS)	1090	1310	2234	1420	814	1000 (500)	3234
2300 1.6CDTi (105PS) Start/Stop	1090	1310	2254	1440	814	1300 (500)	3398

Note: Kerbweights are minimum vehicle kerbweight according to European Type Approval and include all fluids, tools and a 90% fuel load. They will vary according to the vehicle specification (including options and accessories) with a corresponding variation in payload. Kerbweights are also subject to manufacturing tolerances. Payload figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. UK and Ireland Specification adds radio and deadlocks to base vehicle adding 10kg. Sportive specification adds a further 45kg to Sportive L1 Panel Van and 30kg to Sportive L2 Panel Van. Gross plated weights (including axle weights) quoted on the vehicle plate are to UK and Ireland plated weight specification adm ust never be exceeded. Roof load should not exceed 100kg on H1 models including the weight of the roof rack/carrier. H2 models are not permitted to carry roof loads.

1.4 (49.4)

L1 H2 PANEL VAN

EXTERIOR DIMENSIONS MM (INCHES)



LOADSPACE DIMENSIONS MM (INCHES)					
Maximum load length					
Panel Van	1820 (71.7)				
Maximum load width					
At widest point	1714 (67.5)				
Between wheel arches	1230 (48.4)				
Maximum load height					
Maximum height	1550 (61.0)				
Rear and side load door(s)					
Rear door aperture height	1455 (57.2)				
Rear door aperture width	1231 (48.5)				
Side door aperture height	1175 (46.2)				
Side door aperture width	700 (27.5)				
Loading height					
Unladen	545 (21.4)				
LOADSPACE VOLUMES CU.M (CU	.FT.)				

LUADSPACE VOLUMES CU.M (CU.FT.)					
	Panel Van	4.0 (141)			

Heights shown unladen.


WEIGHTS AND TOWING DATA

	UK Plated weights and kerbweight kg Front axle Rear axle Total					Towing weights Trailer with brakes	Plated Gross Combination
	Plated	Plated	GVW	Kerb	Payload kg	(without brakes) kg	
L1 H2 Panel Van							
2000 1.6CDTi (105PS) Start/Stop	1090	1140	2120	1370	750	1300 (500)	3420
2300 1.6CDTi (105PS) Start/Stop	1200	1450	2428	1400	1028	1300 (500)	3500

Note: Kerbweights are minimum vehicle kerbweight according to European Type Approval and include all fluids, tools and a 90% fuel load. They will vary according to the vehicle specification (including options and accessories) with a corresponding variation in payload. Kerbweights are also subject to manufacturing tolerances. Payload figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures show. UK and Ireland Specification adds radio and deadlocks to base vehicle adding 10kg. Sportive specification adds a further 45kg to Sportive L1 Panel Van and 30kg to Sportive L2 Panel Van. Gross plated weights (including axle weights) quoted on the vehicle plate are to UK and Ireland plated weight specification admust never be exceeded. Roof load should not exceed 100kg on H1 models including the weight of the roof rack/carrier. H2 models are not permitted to carry roof loads.

L2 H1 PANEL VAN

EXTERIOR DIMENSIONS MM (INCHES)



Heights	shown	unladen.

Panel van

LOADSPACE DIMENSIONS MM (INCHES)					
Maximum load length					
Panel Van	2170 (85.4)				
Maximum load width					
At widest point	1714 (67.5)				
Between wheel arches	1230 (48.4)				
Maximum load height					
Maximum height	1305 (51.4)				
Rear and side load door(s)					
Rear door aperture height	1250 (49.2)				
Rear door aperture width	1231 (48.5)				
Side door aperture height	1175 (46.2)				
Side door aperture width	700 (27.5)				
Loading height					
Unladen	545 (21.4)				
LOADSPACE VOLUMES CU.M (CU.FT.)					

WEIGHTS AND TOWING DATA


	UK Plated weights and kerbweight kg					Towing weights	Plated Gross
	Front axle	Rear axle	Total		Trailer with brakes Combin		Combination
	Plated	Plated	GVW	Kerb	Payload kg	(without brakes) kg	Weights (GCW) kg
L2 H1 Panel Van							
2300 1.3CDTi (90PS)	1120	1450	2385	1385	1000	1000 (500)	3385
2300 1.6CDTi (105PS) Start/Stop	1200	1450	2458	1430	1028	1300 (500)	3500

Note: Kerbweights are minimum vehicle kerbweight according to European Type Approval and include all fluids, tools and a 90% fuel load. They will vary according to the vehicle specification (including options and accessories) with a corresponding variation in payload. Kerbweights are also subject to manufacturing tolerances. Payload figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. UK and Ireland Specification adds radio and deadlocks to base vehicle adding 10kg. Sportive specification adds a further 45kg to Sportive L1 Panel Van and 30kg to Sportive L2 Panel Van. Gross plated weights (including axle weights) quoted on the vehicle plate are to UK and Ireland plated weight specification adm ust never be exceeded. Roof load should not exceed 100kg on H1 models including the weight of the roof rack/carrier. H2 models are not permitted to carry roof loads.

4.2 (148)

L2 H1 GLAZED CREW VAN

EXTERIOR DIMENSIONS MM (INCHES)



Heights shown unladen.

LOADSPACE DIMENSIONS MM (INCHES)						
Maximum load length						
Crew Van with seats up	1341 (52.8)					
Crew Van with seats down	1750 (68.9)					
Maximum load width						
At widest point	1714 (67.5)					
Between wheel arches	1230 (48.4)					
Maximum load height						
Maximum height	1305 (51.4)					
Rear and side load door(s)						
Rear door aperture height	1250 (49.2)					
Rear door aperture width	1231 (48.5)					
Side door aperture height	1175 (46.2)					
Side door aperture width	700 (27.5)					
Loading height						
Unladen	545 (21.4)					
LOADSPACE VOLUMES CU.M (CU.FT.)						
Crew Van with seats up (to top of seats)	1.0 (35.3)					

Crew Van with seats up

(to roof)

WEIGHTS AND TOWING DATA


	UK Plated weights and kerbweight kg					Towing weights	Plated Gross
	Front axle	Rear axle	Total			Trailer with brakes	orakes Combination
	Plated	Plated	GVW	Kerb	Payload kg	(without brakes) kg	Weights (GCW) kg
L2 H1 Glazed Crew Van							
2300 1.3CDTi (90PS)	1120	1310	2254	1440	814	1000 (500)	3254
2300 1.6CDTi (105PS) Start/Stop	1200	1310	2349	1535	814	1300 (500)	3500

Note: Kerbweights are minimum vehicle kerbweight according to European Type Approval and include all fluids, tools and a 90% fuel load. They will vary according to the vehicle specification (including options and accessories) with a corresponding variation in payload. Kerbweights are also subject to manufacturing tolerances. Payload figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. UK and Ireland Specification adds radio and deadlocks to base vehicle adding 10kg. Sportive specification adds a further 45kg to Sportive L1 Panel Van and 30kg to Sportive L2 Panel Van. Gross plated weights (including axle weights) quoted on the vehicle plate are to UK and Ireland plated weight specification adm ust never be exceeded. Roof load should not exceed 100kg on H1 models including the weight of the roof rack/carrier. H2 models are not permitted to carry roof loads.

1.9 (67.1)

L2 H2 PANEL VAN

EXTERIOR DIMENSIONS MM (INCHES)



Maximum load length Panel Van 2170 (85.4) Maximum load width 1714 (67.5) At widest point Between wheel arches 1230 (48.4) Maximum load height Maximum height 1550 (61.0) Rear and side load door(s) 1455 (57.2) Rear door aperture height Rear door aperture width 1231 (48.5) Side door aperture height 1175 (46.2) Side door aperture width 700 (27.5) Loading height Unladen 545 (21.4)

LOADSPACE DIMENSIONS MM (INCHES)

LOADSPACE VOLUMES CU.M (CU.FT.)

Panel Van	5.0 (177)
-----------	-----------

WEIGHTS AND TOWING DATA

	UK Plated weights and kerbweight kg					Towing weights	Plated Gross
	Front axle	Rear axle	Total			Trailer with brakes	Combination
	Plated	Plated	GVW	Kerb	Payload kg	(without brakes) kg	Weights (GCW) kg
L2 H2 Panel Van				•			
2300 1.6CDTi (105PS) Start/Stop	1200	1450	2488	1460	1028	1300 (500)	3500

Note: Kerbweights are minimum vehicle kerbweight according to European Type Approval and include all fluids, tools and a 90% fuel load. They will vary according to the vehicle specification (including options and accessories) with a corresponding variation in payload. Kerbweights are also subject to manufacturing tolerances. **Payload** figures do not allow for the weight of the driver, or any passengers, which should therefore be deducted from the figures shown. UK and Ireland Specification adds radio and deadlocks to base vehicle adding 10kg. Sportive specification adds a further 45kg to Sportive L1 Panel Van and 30kg to Sportive L2 Panel Van. **Gross plated weights** (including axle weights) quoted on the vehicle plate are to UK and Ireland hot exceed 100kg on H1 models including the weight of the roof rack/carrier. H2 models are not permitted to carry roof loads.