

NEW

MOVANO



NO JOB TOO BIG.

Strong, reliable and with unrivalled driver comfort: the Opel Movano is available in many different equipment versions and can be easily tailored to perfectly meet all of your business requirements.









MADE TO CONQUER ANY CHALLENGE.

No two jobs are the same, and no two roads are the same. So, if towing heavy trailers or uneven road surfaces are a staple of your business, you'll already be thinking about rear-wheel drive. Opel Movano is available with rear-wheel drive in two vehicle lengths and with gross vehicle weight ratings of 2800 and 4500 kg. This van covers all your needs.

MADE TO STRIKE WITH FUNCTIONAL DESIGN.

Design is about much more than good looks (which the Opel Movano certainly has). It's about creating usable load space and ensuring that it's easily accessible. Opel Movano's rear doors can be opened to 270° (optional), and 1270 mm¹ wide sliding side doors take the hassle out of loading or unloading full-size euro-pallets.

¹ 1050 mm for L1 version.





MADE TO BE PREPARED FOR EVERYTHING.

The Opel Movano driver always takes his office with him. With the practicality of two USB and 12-V power sockets and many convenient storage solutions like the upper closed storages, standard or sliding glove box and holders that accommodate 1,5-litre water bottles. All located within easy reach of the driver.

Side door storage.

Store up to 1,5-litre water bottles inside the generous door pockets.



FlexTray.*

Keep utensils within direct reach inside the large glove box compartment that offers a clear, flat surface.



Wireless charging.*

Simply place your smartphone inside the phone compartment with integrated inductive charger to wirelessly recharge the battery. (Works with Qi compatible devices only.)



Adjustable office table.*

Use your Opel Movano as a mobile office with the folding centre seat that includes a swivelling tray for the driver's laptop computer.



Dashboard compartment.

Keep everything at one place during your ride. Simply store important belongings inside the upper closed storages.



Retractable tablet.*

A foldable tray and cupholder tray can be installed in front of the passenger seat.

*Optional, standard or not available according to trim chosen.


OPEL MOVANO PANEL VANS.

Hard working space with easy access perfectly describes all Opel Movano panel vans. Wide 1270-mm side doors that allow a euro-pallet to be loaded sideways on all but the shortest variant. On H1 and H2 variants the rear doors are full-height, coping easily with load heights of up to 1820 mm on the H2 models. Load lengths are available up to 4383 mm, with conveniently located lashing eyes and points, meaning ample space for secure and balanced cargo stowage. In addition, a sturdy metal bulkhead to protect the crew is standard.


With a choice of four gross vehicle weights, four lengths, single or dual rear wheels, front- or rear-wheel drive, three roof heights, three power outputs, 6-speed manual or Easytronic® transmission and a whole range of comfort, business and convenience options and accessories, the Opel Movano panel van fits perfectly to your business plans.



Panel van: dimensions



L1H1/H2 FWD



L2H2/H3 FWD

L: length 1 = short 2 = medium 3 = long 4 = extra long

H: roof height 1 = standard 2 = medium 3 = high


FWD = front-wheel drive

RWD = rear-wheel drive


SRW = single rear wheels

DRW = dual rear wheels


All dimensions in mm.




L3H2/H3 FWD




L3H2/H3 RWD (SRW/DRW)




L4H2/H3 RWD (SRW/DRW)




L3 (SRW/DRW)



H2/H3



H2/H3 (SRW)



H2/H3 (DRW)

Panel van: versions



L1H1 FWD



L1H2 FWD



L2H2 FWD



L2H3 FWD



L3H2 FWD



L3H3 FWD



L3H2 RWD (SRW)



L3H3 RWD (SRW)



L3H2 RWD (DRW)



L3H3 RWD (DRW)



L4H2 RWD (SRW)



L4H3 RWD (SRW)



L4H2 RWD (DRW)



L4H3 RWD (DRW)

Panel van: weights¹ and volumes

Opel Movano panel van body versions	Weight class (in kg)	Max. payload (in kg)	Max. roof load (in kg)	Load volume (in m ³)	Max. load floor length (in mm)	Load floor width max./between wheel arches (in mm)	Max. load compartment height (in mm)	Turning circle (curb to curb/ wall to wall) (in m)
FWD								
L1H1	2800	873	200	7,8	2583	1765/1380	1700	12,0/12,5
L1H1	3300	1368	200	7,8	2583	1765/1380	1700	12,0/12,5
L1H1	3500	1563	200	7,8	2583	1765/1380	1700	12,0/12,5
L1H2	2800	845	200	8,6	2583	1765/1380	1894	12,0/12,5
L1H2	3300	1340	200	8,6	2583	1765/1380	1894	12,0/12,5
L1H2	3500	1535	200	8,6	2583	1765/1380	1894	12,0/12,5
L2H2	3300	1296	200	10,3	3083	1765/1380	1894	13,6/14,1
L2H2	3500	1491	200	10,3	3083	1765/1380	1894	13,6/14,1
L2H3	3300	1260	–	11,7	3083	1765/1380	2144	13,6/14,1
L2H3	3500	1450	–	11,7	3083	1765/1380	2144	13,6/14,1
L3H2	3500	1410	200	12,5	3733	1765/1380	1894	15,7/16,2
L3H3	3500	1370	–	14,1	3733	1765/1380	2144	15,7/16,2
RWD								
L3H2 single rear wheels	3500	1144	200	11,9	3733	1765/1380	1798	13,6/14,1
L3H3 single rear wheels	3500	1106	–	13,5	3733	1765/1380	2048	13,6/14,1
L3H2 dual rear wheels	3500	1125	200	11,9	3733	1765/1080	1798	13,6/14,1
L3H3 dual rear wheels	3500	1092	–	13,5	3733	1765/1080	2048	13,6/14,1
L3H2 dual rear wheels	4500	2125	200	11,9	3733	1765/1080	1798	13,6/14,1
L3H3 dual rear wheels	4500	2092	–	13,5	3733	1765/1080	2048	13,6/14,1
L4H2 single rear wheels	3500	1102	200	14,9	4383	1765/1380	1798	15,7/16,2
L4H3 single rear wheels	3500	1071	–	17,0	4383	1765/1380	2048	15,7/16,2
L4H2 dual rear wheels	3500	1047	200	14,9	4383	1765/1080	1798	15,7/16,2
L4H3 dual rear wheels	3500	1005	–	17,0	4383	1765/1080	2048	15,7/16,2
L4H2 dual rear wheels	4500	2047	200	14,9	4383	1765/1080	1798	15,7/16,2
L4H3 dual rear wheels	4500	2005	–	17,0	4383	1765/1080	2048	15,7/16,2

¹Vehicle kerb weight calculated according to directive 97/27/EC. Standard and additional content as well as accessories can impact the kerb weight and hence the payload.

MADE TO GET ALL ABOARD.

Transporting a work crew and their equipment is the speciality of Opel Movano crew van. Two seats next to the driver (one if an optional single seat is specified), while the rear bench seat can accommodate four crew members abreast; seat belts and headrests are, of course, standard. Access is through a large sliding door, and the crew is protected from load movement by a high-strength glazed ABS bulkhead.


4-seat rear bench.

Fully trimmed seats with safety belts make transporting crew members a safe and simple matter.





Crew van: dimensions




L1H1/H2 FWD


L: length 1 = short 2 = medium 3 = long
H: roof height 1 = standard 2 = medium

FWD = front-wheel drive RWD = rear-wheel drive
SRW = single rear wheels DRW = dual rear wheels


All dimensions in mm.




L2H2 FWD




L3H2 FWD




L3H2 RWD (SRW/DRW)




L3 (SRW/DRW)



H2



H2 (SRW)



H2 (DRW)

Crew van: versions



L1H1 FWD



L1H2 FWD



L2H2 FWD



L3H2 FWD



L3H2 RWD (SRW)



L3H2 RWD (DRW)

Crew van: weights¹ and volumes

Opel Movano crew van body versions	Weight class (in kg)	Max. payload (in kg)	Max. roof load (in kg)	Load volume (in m ³)	Max. load floor length (in mm)	Load floor width max./between wheel arches (in mm)	Max. load compartment height (in mm)	Turning circle (curb to curb/ wall to wall) (in m)
FWD								
L1H1	3300	1173	200	5,0	1716	1765/1380	1700	12,0/12,5
L1H1	3500	1368	200	5,0	1716	1765/1380	1700	12,0/12,5
L1H2	3300	1173	200	5,3	1716	1765/1380	1894	12,0/12,5
L1H2	3500	1368	200	5,3	1716	1765/1380	1894	12,0/12,5
L2H2	3300	1100	200	6,9	2175	1765/1380	1894	13,6/14,1
L2H2	3500	1295	200	6,9	2175	1765/1380	1894	13,6/14,1
L3H2	3500	1214	200	9,0	2825	1765/1380	1894	15,7/16,2
RWD								
L3H2 single rear wheels	3500	947	200	8,3	2825	1765/1380	1798	13,6/14,1
L3H2 dual rear wheels	3500	928	200	8,3	2825	1765/1080	1798	13,6/14,1

¹Vehicle kerb weight calculated according to directive 97/27/EC. Standard and additional content as well as accessories can impact the kerb weight and hence the payload.

EQUIPMENT AND OPTIONS.

Infotainment.

Staying in touch, knowing exactly where to go, how to get there and how the traffic is moving gives you a real advantage in business. Also, people work best in relaxed conditions. For these reasons, the Opel Movano offers a reliable infotainment system.



Navi 50 IntelliLink Pro.*

This radio, infotainment and navigation system with 2 x 20-W speaker offers excellent value for money. The 7" capacitive colour touch screen is positioned in optimum view on the upper centre console. Dynamic navigation with Western or Eastern Europe map coverage.

Other features include Android Auto™, Apple CarPlay™, voice control for connected smartphones, steering column radio controls, USB and aux-in as well as Bluetooth® for hands-free phone and audio streaming.

*Optional, standard or not available according to trim chosen.



Radio 15 USB.*

Tuner with integrated display, which also displays the time and offers universal connectivity via USB and Bluetooth®. Output 2 x 15 W.

Auxiliary input (aux-in) and USB connection.*

All Opel Movano infotainment systems feature auxiliary input jacks and USB connection.

Digital radio DAB.*

All European digital radio formats can be received with DAB/DAB+/DMB audio.



Navi 80 IntelliLink.*

Radio, infotainment and navigation system that offers an impressive range of features, together with easy intuitive operation via steering wheel or voice control. Includes aux-in, SD card reader and USB, Bluetooth® hands-free phone and audio streaming, SMS readout, maps for Europe, 7" colour touch screen that also displays rear-view camera, plus TomTom LIVE services without charge until 2020.

Additionally, Android Auto™¹ enables hands-free message writing, music playback and maps through selected media and apps of your smartphone via the high-resolution display.




Steering column radio controls.

These help avoid driver distraction.

Bluetooth® connectivity.

Easy to operate and virtually universal, Bluetooth® makes mobile phone communication hands-free and safe.

*Optional, standard or not available according to trim chosen.



Board computer.

The 3,5" TFT area inside the instrument cluster excellently displays clear legible information including fuel consumption, range, driving time, distance covered and advanced driver assistance system alerts.

Cruise control with speed limiter.*

Steering wheel controlled, the cruise control also allows the driver to select a temporary maximum speed.


Smart tachograph.*

Reliably records driving and rest time to enforce the EU legislation on professional drivers and can be easily operated by the driver.




Electronic Climate Control.*

Automatically adjusts the temperature to maintain the selected interior climate.



Air conditioning.*


Improves the working ambience in all weather conditions: cool cabin in summer, fog-free windows in winter.



Smoker Pack.*


A removable ashtray that fits into the cupholders and a cigarette lighter that can be used in any of the 12-V sockets.

Comfort



Comfort driver's seat.*

Optionally available deep contoured seat, adjustable lumbar support and armrest, height-adjustable. Also available for co-driver.



Suspended driver's seat.*


This is optionally available and ideal for driving on rough terrain or long distances, 4-way adjustable with fixed armrest. Suspension sensitivity is also adjustable.



Parking heater.*


Instant climate comfort and clear windows from the start. Available with programmable timer, which also monitors cabin temperature and heating cycle. Optional with remote control.

Exterior



Rear step.*

Standard on rear-wheel drive models, the anti-slip rear step eases access to the load compartment. Optional on FWD models.



Removable trailer hitch.*

The Euro style ball trailer hitch further extends the practicality of the Opel Movano.

*Optional, standard or not available according to trim chosen.

MADE TO TAKE SAFETY SERIOUSLY.

Airbags, ABS and ESP® are no longer strangers to the large-van operator. The Opel Movano's driver also benefits from the extra safety and protection provided by Side Blind Spot Alert*, Side Wind Assist*, multiple load securing options and headlights and windscreen wiper system, which react automatically to light and weather conditions*. Additionally, the rear-view camera* gives an excellent rear vision of the road in the back and monitors the traffic behind you in a van which normally offers no rear-view mirror.




Lane Departure Warning and High Beam Assist.*

These smart systems warn you if you leave your lane unintentionally and switch from low to high beam if the traffic situation allows.



Side Blind Spot Alert.*

Detects other vehicles travelling beside your car and warns you as soon as it enters one of your blind spots.



Side Wind Assist.*

Automatically detects side wind interferences and counteracts with additional stability.





Safety & Security



Park Pilot with Front and Rear Park Assist.*

Graphically displays the distance and gives an audible warning to avoid accidental damage when reversing and lets you know when you have limited space in front of the vehicle, for example when parallel parking.




Rear-vision camera.*

When driving forward, the rear-vision option is permanently delivering an excellent view of the traffic behind your vehicle – even though you're driving in a van without rear windows.



Parking rear-view camera.*

Displays a clear view of the area behind your vehicle on the 7" screen¹ to enable precise parking.



Front foglights.*

These are recessed against accidental damage and optimally positioned.



Vehicle security system.*

Remote-controlled anti-theft alarm that uses volumetric movement sensors to protect the whole vehicle (engine compartment, cabin and load compartment) against intrusion.

Deadlocks.*

Extra security optionally available for all models.

Wide-view mirror.*

The dual lens exterior wide-view mirror minimizes blind spot dangers while driving. A large convex mirror mounted on the front passenger sunblind offers extra blind spot coverage while reversing in tight spaces.

Headlamps with LED Daytime Running Lights.*

Provide additional visibility on the road – whatever the light conditions.

Chassis

Rear locking differential.*

To assist driving in rough or slippery conditions, the locking differential is optionally available for RWD models.

Pneumatic suspension.*

For increased ride comfort and load security, a height-adjustable pneumatic rear suspension is optionally available for FWD models.

Ancillary systems


Power take-off.*

An auxiliary drive from the engine is available. For heavier duty applications, a gearbox-driven power take-off is available on all RWD models.

Second battery.*


Recommended for vehicles with additional heating and air-conditioning systems and electric consumers.

*Optional, standard or not available according to trim chosen.



Load compartment protection.*

Protects the interior from damage with a resin-coated wooden floor and full- or half-height wooden panels, specially constructed not to obstruct the vital lashing eyes.



Bulkhead window protection.*

A solid steel mesh which complies to ISO standards protects the window without obstructing the view.




LED cargo light.*

Clearly illuminates the cargo area in your van with a bright LED light.




Movable partition wall.*

Fitted into the roof and floor rails at 25-mm intervals and especially useful for restraining parcels and loose loads. With possibility to open for walk-through.



Load restraint net.*

Three-dimensional, highly flexible and adaptable, the load restraint net is ideal for cargo in different dimensions and compositions.



Telescopic blocking bars.*

These are installed horizontally or vertically on the fixing rails and secure heavy loads safely.



Side panelling fixations.*

Flexible straps for space-securing fixation of loads on the side anchorage rails.



Fixed load lashing eyes.*

Ideally located, 6, 8, 1, or 12 floor load lashing eyes (depending on vehicle length) keep loads secure and safely in place. 4 side-mounted lashing eyes are also optionally available.



Side anchorage rails.*

With fixing points every 25 mm, supplied with 6 movable lashing eyes, providing universal load securing.



Movable lashing eyes.*

Purpose-designed for the Opel Movano rail system. Made of steel with push-button locking mechanism.

*Optional, standard or not available according to trim chosen.

Accessories: exterior



Roof base carrier.*

Light but strong transverse-mounted aluminium bars can carry long loads up to the 2-kg maximum roof loading capacity, such as pipes, scaffolding, etc.



Roof rack tray, aluminium.*

Strong, practical and made to carry loads up to the 2-kg maximum roof loading capacity, available for all Opel Movano vehicle lengths.




Walkway for roof rack.*

Sturdy perforated aluminium walkway enhances roof access. To be used with roof rack tray, available for all Opel Movano vehicle lengths.




Rear-mounted ladder.*

In robust steel, provides easy roof access for all vehicle heights.



Towing hitch, heavy duty.*


This strong, high-quality towing hitch extends the usability and versatility of the Opel Movano. Standard ball or pin-and-ball type, with 7- or 13-pin electrical adapter. Towing electrics to be ordered separately.



Splash guards.*


Tough thermoplastic, specifically designed to protect the bodywork from damage resulting from stone chips, splashes, grit, etc.

Accessories: interior



Floor mats, all-weather.*

Tailored to the Opel Movano, the light grey rubber mats protect against dirt and are easily removed for cleaning.



Floor mats, carpet.*

Practical, hardwearing and smart, the dark grey 'Movano'-branded carpets fit perfectly to the cabin floor. The carpet covers both driver's and passenger side.



Seat covers, premium.*

The dark grey leather-look seat covers deliver more style and luxury while protecting the original seat fabric.



Seat covers, standard.*

Protective and good-looking, the dark grey seat covers are made of hard-wearing polyester and specifically tailored for the Opel Movano.



Rear window protection grilles.* Sturdy white-coated metal grilles inter-nally mounted to protect the rear glass while allowing driver rear-view vision.

Shelving and storage for professionals.*

Every job has its organizational demands, some easier to meet than others. Our stowage and storage products include modularly compatible and purpose-designed racks, bins and boxes to suit virtually any application. Built by our network of certified suppliers, they add robust working precision to load flexibility, maximising crew efficiency.

*Optional, standard or not available according to trim chosen.

Colours*

Choose between 10 stylish colours and 2 upholstery designs with premium character to build your specific look.



Polar White



North Sea Blue



Signal Blue



Poppy Red



Mandarin Orange



Saffron Yellow



Cement Grey



Halo Silver¹



Ambient Blue¹



Pearl Black¹

OPEL SERVICE.

When it comes to servicing and maintenance, Opel's expert repair network provides fast, convenient and great value after-sales care – getting your car or commercial vehicle back on the road quickly.



Opel has the specialized equipment, tools and training to support all of your after-sales needs, using only genuine parts fitted by Opel trained technicians. Simply put, we are your 'one-stop shop' for all after-sales support under one roof.



THE FUTURE IS EVERYONE'S

Some feature descriptions in this brochure may refer to, and some illustrations may show, optional equipment not included in standard delivery. The information contained in this brochure was accurate at the time of going to print. We reserve the right to make changes in design and equipment. The colours printed in the brochure only approximate actual colours. Illustrated optional equipment is available at extra charge. Availability, technical features and equipment provided on our vehicles can vary outside the Federal Republic of Germany.



005xVANxMCxx-20.00-EN1907

www.opel.ie

Edition 07/19